

RD-R177 963

MARSHLANDS RESEARCH PROGRAM CORPS OF ENGINEERS MARSHLANDS  
DELINEATION MANUAL. (U) ARMY ENGINEER WATERWAYS  
EXPERIMENT STATION VICKSBURG MS ENVIR. JAN 87


1/1


UNCLASSIFIED

NES/TR/V-87-1-APP-C-SECT-1/2

F/8 6/3

ML





AD-A177 963

DTIC FILE COPY

WETLANDS RESEARCH PROGRAM

(2)

TECHNICAL REPORT Y-87-1

CORPS OF ENGINEERS WETLANDS  
DELINEATION MANUAL


APPENDIX C

SECTIONS 1 AND 2

REGION 6 — SOUTHERN PLAINS


by  
Environmental Laboratory

DEPARTMENT OF THE ARMY  
US Army Engineer Waterways Experiment Station  
PO Box 631, Vicksburg, Mississippi 39180-0631



January 1987  
Final Report

Approved For Public Release: Distribution Unlimited



Prepared for DEPARTMENT OF THE ARMY  
US Army Corps of Engineers  
Washington, DC 20314-1000

87 3 11 029

APPENDIX C  
SECTION 1

NATIONAL LIST OF PLANT SPECIES  
THAT OCCUR IN WETLANDS

REGION 6 - SOUTHERN PLAINS

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS  
REGION 6 - SOUTHERN PLAINS

The following is a subset of the National List of Plant Species That Occur In Wetlands of the southern plains region of the United States. This area includes Oklahoma and Texas.

The list was initiated by the US Fish and Wildlife Service, National Wetland Inventory (NWI). A candidate national list of more than 5000 species was developed and, using information from more than 250 taxonomic references, the NWI assigned a tentative wetland indicator status to many of the species. The indicator status categories, which define the estimated probability of a species occurring in wetlands, are as follows:

<u>Category</u>	<u>Symbol</u>	<u>Definition</u>
OBLIGATE WETLAND PLANTS	OBL	Plants that occur almost always (estimated probability >.99%) in wetlands undernatural conditions.
FACULTATIVE WETLAND PLANTS	FACW	Plants that occur usually (estimated probability >67 to 99%) in wetlands, but also occur (estimated probability 1% to 33%) in nonwetlands.
FACULTATIVE PLANTS	FAC	Plants with a similar likelihood (estimated probability 33% to 67%) of occurring in both wetlands and nonwetlands.
FACULTATIVE UPLAND PLANTS	FACU	Plants that occur sometimes (estimated probability 1% to 33%) in wetlands, but occur more often (estimated probability >67% to 99%) in nonwetlands.
OBLIGATE UPLAND PLANTS	UPL	Plants that occur rarely (estimated probability <1%) in wetlands, but occur almost always (estimated probability ≥99%) in nonwetlands under natural conditions.

For purposes of this manual, any plant species not appearing on the plant list was assumed to be an upland species unless a strong technical rationale could be developed for adding it to the list....

In 1982, the NWI invited other Federal agencies to participate in a review of the NWI plant list. A national review panel was established,

comprised of representatives from the Fish and Wildlife Service, Environmental Protection Agency, Soil Conservation Service, and Corps of Engineers. The national panel developed guidelines for the review process and established regional panels composed of a representative from each agency. The regional panels reviewed the plant list for their region and provided the national review panel with the results. The list that follows represents a subset of the reviewed list for Region 2. Note: Although additional work by the regional panel will be required, the current status of the list is considered to be adequate for use in this manual. The list will be updated as further revisions are made.

Nomenclature used in the list is based on the National List of Scientific Plant Names (USDA-SCS 1982). The generic name is listed only once, and species within a genus are alphabetized.

#### Symbols

Symbols appearing in the list under the indicator status column are as follows:

- +: A "+" sign following an indicator status denotes that the species generally has a greater estimated probability of occurring in wetlands than species having the general indicator status, but a lesser estimated probability of occurring in wetlands than those having the next highest general indicator. For example, a species with an indicator status of FAC+ occurs in wetlands more often than a species designated as FAC, but less often than a species having a FACW status.
- : A "--" sign following an indicator status (e.g. FACW-) denotes that the species generally has a lesser estimated probability of occurring in wetlands than species having the general indicator status, but a greater estimated probability of occurring in wetlands than those having the next lowest general indicator. For example, a species with an indicator status of FACW- occurs in wetlands less often than a species with a FACW status, but more often than a species having a FAC+ status.
- DRA: This symbol indicates that the species normally occurs at the indicated estimated probability in wetlands, but only during periods when standing water is absent.

?: A "?" indicates that the species was reviewed by the regional panel, but no decision has been made regarding the appropriate indicator status.

-: A dash without an associated indicator status signifies that no review comments were received, usually because the species is rare in the region or its taxonomic status is questioned.

An X prior to the species name in the scientific name column denotes a hybrid. For purposes of this manual, all species appearing on the regional plant list as FAC-, FACU+, FACU, or FACU- have been deleted from the list because they do not contribute toward hydrophytic vegetation.

THIS LIST SHOULD BE USED IN ACCORDANCE WITH INSTRUCTIONS PROVIDED IN PART IV OF THE MANUAL.

Scientific Name	Common Name	Indicator Status
<i>Acer rubrum</i> L.	Red maple	FAC
<i>A. saccharinum</i> L.	Silver maple	FAC
<i>Acorus calamus</i> L.	Sweetflag	OBL
<i>Adiantum capillus-veneris</i> L.	Venus-hair fern	FACW+
<i>A. pedatum</i> L.	Maidenhair fern	FAC
<i>A. tricholepis</i> Fee	Hairy maidenhair fern	FAC
<i>Aeschynomene indica</i> L.	Joint vetch	FACW
<i>Agalinis aspera</i> (Dougl. ex Benth.) Britton	Gerardia	FAC
<i>A. maritima</i> Raf.	Seaside gerrardia	OBL
<i>Agrimonia parviflora</i> Ait.	Small-flowered agrimony	FACW
<i>Agrostis alba</i> L.	Redtop	OBL
<i>A. exarata</i> Trin.	Spike bentgrass	FACW
<i>A. hiemalis</i> (Walter) B.S.P.	Winter bent	FACW-
<i>A. perennans</i> (Walter) Tuckerman	Autumn bent	FAC
<i>A. scabra</i> Willd.	Rough bentgrass	FAC+
<i>A. semiverticillata</i> C. Christ	Water bentgrass	OBL
<i>A. stolonifera</i> L.	Carpet bentgrass	FACW
<i>Aletris aurea</i> Walter	Stargrass	FACW+
<i>A. farinosa</i> L.	Whitetube stargrass	FAC
<i>Alhagi camelorum</i> Fisch.	Camelthorn	FAC+
<i>Alisma subcordatum</i> Raf.	Subcordate waterplantain	OBL
<i>Alliaria officinalis</i> (S. Wats.) Kuntze	Iodinebush	FACW
<i>Allolepis texana</i> (Vasey) Soderst. & H. Decker	Allolepis	FAC
<i>Alnus maritima</i> (Marshall) Muhl.	Seaside alder	OBL
<i>A. rugosa</i> (Du Roi) Spreng.	Speckled alder	FACW+
<i>A. serrulata</i> (Ait.) Willd.	Hazel alder	OBL
<i>Altorecurus zizanioides</i> Sobol.	Shortawn foxtail	OBL

<i>A. carolinianus</i> Walter	Carolina foxtail	FACW
<i>A. geniculatus</i> L.	Water foxtail	OBL
<i>A. myosuroides</i> Huds.	House foxtail	FACW
<i>Amaranthus australis</i> (Gray) Saur.	Amaranth	OBL
<i>A. blitoides</i> S. Wats.	Amaranth	FAC
<i>A. crassipes</i> Schlecht.	Amaranth	FAC+ DRA
<i>A. greggii</i> Wats.	Gregg amaranth	FAC
<i>A. rudis</i> Sauer	Red amaranth	-
<i>Ambrosia grayi</i> (A. Nels.) Shinners	Gray ragweed	FACW
<i>A. trifida</i> L.	Annual ragweed	FAC
<i>Amianthium muscaetoxicum</i> (Walter) Gray	Common crowpoison	FAC
<i>Arrmannia auriculata</i> Willd.	Ammannia	OBL
<i>A. coccinea</i> Rottb.	Purple ammannia	OBL DRA
<i>A. latifolia</i> L.	Ammannia	OBL
<i>Ammoselinum butleri</i> (Engelm.) Coulter & Rose	Ammoselinum	FAC+
<i>Amorpha fruticosa</i> L.	Dull-leaf indigo	FACW
<i>A. paniculata</i> Torr. & Gray	Panicled amorpha	FACW
<i>Ampelarus albidus</i> (Nutt.) Britton	Common honeyvine	FAC
<i>Ampelopsis arborea</i> (L.) Koehne	Peppervine	FAC
<i>Amsonia glaberrima</i> Woods	Slipper	FACW+
<i>A. illustris</i> Woodson	Amsonia	FAC+
<i>A. tabernaemontana</i> Walter	Willow amsonia	FACW-
<i>Anagallis arvensis</i> L.	Pimpernel	FACW-
<i>Andropogon glomeratus</i> (Walter) B.S.P.	Bushy beard bluestem	FACW+
<i>Anemopsis californica</i> (Nutt.) Hook. & Arn.	Yerba mansa	FACW+
<i>Anoda cristata</i> (L.) Schlecht.	Spurred anoda	FAC
<i>Apocynum americana</i> Medik.	American potato bean	FAC
<i>Apocynum cannabinum</i> L.	Indian hemp dogbane	FAC
<i>A. sibiricum</i> Jacq.	Prairie dogbane	FAC
<i>Apteria aphylla</i> (Nutt.) Barnhart	Apteria	FACW
<i>Aquilegia canadensis</i> L.	American columbine	FACW
<i>A. chrysanthia</i> A. Gray	Golden columbine	FACW-
<i>A. hinckleyana</i> Munz	Hinckley columbine	FACW+
<i>A. longissima</i> Gray	Longspur columbine	FACW+
<i>Aralia spinosa</i> L.	Hercules club	FAC
<i>Arisaema dracontium</i> (L.) Schott	Greendragon indianturnip	FACW
<i>A. triphyllum</i> (L.) Schott	Indian jack-in-the-pulpit	FACW
<i>Aristida affinis</i> (Schult.) Kunth	Longleaf threeawn	FACW-
<i>A. virgata</i> Trin.	Trinius threeawn	FAC
<i>Aristolochia tomentosa</i> Sims.	Woolly pipevine	FAC
<i>Armoracia aquatica</i> (EAT.) Wiegand	Lake cress	OBL
<i>Arnoglossum ovatum</i> (Walter) H. Rob.	Arnoglossum	-
<i>A. plantagineum</i> Raf.	Plantago arnoglossum	FAC
<i>Aronia arbutifolia</i> (L.) Elliott	Red chokecherry	FACW
<i>Arundinaria gigantea</i> (Walter) Muhl.	Giant cane	FACW
<i>Arundo donax</i> L.	Giantreed	FAC+
<i>Asclepias surassavica</i> L.	Bloodflower milkweed	FAC+
<i>A. incarnata</i> L.	Swamp milkweed	FACW+
<i>A. speciosa</i> Walter	Coast milkweed	OBL
<i>A. longifolia</i> Michx.	Longleaf milkweed	OBL
<i>A. sericea</i> Walter	Shore milkweed	OBL
<i>A. tuberosa</i> L.	Red milkweed	OBL
<i>A. speciosa</i> Torr.	Showy milkweed	FAC
<i>Ascyrum stans</i> Michx.	Atlantic St. Peterswort	FAC

<i>Asimina parviflora</i> (Michx.) Dunal	<i>Smallflower pawpaw</i>	FAC
<i>Aster dumosus</i> L.	<i>Bush aster</i>	FAC
<i>A. eulae</i> Shinners	<i>Aster</i>	FAC
<i>A. hemisphericus</i> E. J. Alex.	<i>Aster</i>	FAC
<i>A. hesperius</i> Gray	<i>Siskiyou aster</i>	?
<i>A. lateriflorus</i> (L.) Britton	<i>Calico aster</i>	FACW+
<i>A. ontarionis</i> Wiegand	<i>Ontario aster</i>	FAC
<i>A. paludosus</i> Aiton	<i>Singlestem aster</i>	FACW-
<i>A. pauciflorus</i> Nutt.	<i>Marsh alkali aster</i>	FACW+
<i>A. praealtus</i> Poir.	<i>Aster</i>	FACW-
<i>A. scabricaulis</i> Shinners	<i>Aster</i>	FACW+
<i>A. simplex</i> Willd.	<i>Lowland white aster</i>	FACW
<i>A. spinosus</i> Benth.	<i>Devilweed aster</i>	FACW-
<i>A. subulatus</i> Michx.	<i>Annual saltmarsh aster</i>	OBL
<i>A. tenuifolius</i> L.	<i>Perennial saltmarsh aster</i>	OBL
<i>Astragalus canadensis</i> L.	<i>Canada milkvetch</i>	FAC
<i>Athyrium filix-femina</i> (L.) Roth	<i>Southern lady fern</i>	FAC+
<i>Atriplex argentea</i> Nutt.	<i>Silver saltbush</i>	FAC
<i>A. patula</i> L.	<i>Fat-hen saltweed</i>	FACW-
<i>A. pentandra</i> (Jacq.) Standl.	<i>Saltweed</i>	FAC
<i>A. semibaccata</i> R. Br.	<i>Australian saltbush</i>	FAC+
<i>A. triangularis</i> Willd.	<i>Saltbush</i>	FAC
<i>Avicennia germinans</i> (L.) L.	<i>Black-mangrove</i>	OBL
<i>Axonopus affinis</i> Chase	<i>Carpetgrass</i>	FAC
<i>A. compressus</i> (Swartz) Beauv.	<i>Tropical carpetgrass</i>	FACW-
<i>A. furcatus</i> (Fluegge) Hitchc.	<i>Big carpetgrass</i>	OBL
<i>Azolla caroliniana</i> Willd.	<i>Mosquito fern</i>	OBL
<i>Baccharis emoryi</i> A. Gray	<i>Emory baccharis</i>	FACW-
<i>B. glutinosa</i> Pers.	<i>Seepwillow baccharis</i>	FACW
<i>B. halimifolia</i> L.	<i>Eastern baccharis</i>	FACW-
<i>B. neglecta</i> Britton	<i>Roosevelt weed</i>	FAC
<i>B. salicina</i> T. & G.	<i>Willow baccharis</i>	FAC
<i>Bacopa caroliniana</i> (Walter) Robins.	<i>Lemon bacopa</i>	OBL
<i>B. monnierii</i> (L.) Wettst.	<i>Coast bacopa</i>	OBL
<i>B. rotundifolia</i> (Michx.) Wettst.	<i>Roundleaf bacopa</i>	OBL
<i>Baronia paniculata</i> (Michx.) Muhl.	<i>Panicled bartonia</i>	OBL
<i>B. texana</i> Correll	<i>Texas bartonia</i>	OBL
<i>Bassia hyssopifolia</i> (Pallas) Kuntze	<i>Fivehook bassia</i>	FACW-
<i>Batis maritima</i> L.	<i>Saltwort</i>	OBL
<i>Berchemia scandens</i> (Hill) K. Koch	<i>Rattan vine</i>	FAC+
<i>Bergia texana</i> (Hook.) Seubert	<i>Texas bergia</i>	OBL DRA
<i>Berula erecta</i> (Huds.) Cov.	<i>Cut-leaved water parsnip</i>	OBL
<i>Betula nigra</i> L.	<i>River birch</i>	?
<i>Bidens aristosa</i> (Michx.) Britton	<i>Bearded beggarticks</i>	FACW
<i>B. bigelovii</i> Gray	<i>Beggarticks</i>	FACW
<i>B. bipinnata</i> L.	<i>Spanishneedles beggarticks</i>	FACW+
<i>B. connata</i> Muhl. ex Willd.	<i>Swamp beggarticks</i>	OBL
<i>B. discoidea</i> (T. & G.) Britton	<i>Discoid beggarticks</i>	FACW+
<i>B. frondosa</i> L.	<i>Devils beggarticks</i>	FACW
<i>B. laevis</i> (L.) B.S.P.	<i>Brook sunflower</i>	CBL
<i>B. leptophylla</i> Sherff.	<i>Beggarticks</i>	FACW
<i>B. mitis</i> (Michx.) Sherff.	<i>Beggarticks</i>	OBL
<i>B. polylepis</i> Blake	<i>Awnless beggarticks</i>	FACW-
<i>B. tenuisecta</i> Grav	<i>Beggarticks</i>	FACW+

<i>Bigelovia nudata</i> (Michx.) DC.	<i>Bigelovia</i>	FACW
<i>Boehmeria cylindrica</i> (L.) Swartz	<i>Smallspike false-nettle</i>	FACW
<i>Boltonia asteroides</i> (L.) L Her.	<i>Star boltonia</i>	FACW
<i>B. diffusa</i> Elliott	<i>Smallhead boltonia</i>	FACW-
<i>Bornichia frutescens</i> (L.) DC.	<i>Bushy seaoxeye</i>	?
<i>Botrychium biternatum</i> (Sav.) Underwood	<i>Grapefern</i>	FAC
<i>B. dissectum</i> Spreng.	<i>Cutleaf grapefern</i>	FAC
<i>Brachiaria purpurascens</i> (Raddi) Henr.	<i>Brachiaria</i>	FACW
<i>Brasenia schreberi</i> Gmel.	<i>Watershield</i>	OBL
<i>Brickellia californica</i> (T. & G.) Gray	<i>California brickellbush</i>	FAC
<i>Briza minor</i> L.	<i>Little quakinggrass</i>	FAC+
<i>Bromus ciliatus</i> L.	<i>Fringed brome</i>	FAC
<i>B. latiglumis</i> (Shear) Hitchc.	<i>Earleaf brome</i>	FACW-
<i>Brunnichia cirrhosa</i> Gaertn.	<i>American buckwheatvine</i>	FACW-
<i>Buchnera floridana</i> Gaudiger	<i>Florida bupleurum</i>	FACW
<i>Bulbostylis juncoidea</i> (Vahl) Kuekenth.	<i>Rush bulbostylis</i>	FACW-
<i>Bunelia lycoidea</i> (L.) Pers.	<i>Buckthorn bumelia</i>	FAC
<i>Burmannia biflora</i> L.	<i>Two-flowered burmania</i>	OBL
<i>B. capitata</i> (Gmelin) Martius	<i>Headed burmania</i>	OBL
<i>Cabomba caroliniana</i> Gray	<i>Fanwort</i>	OBL
<i>Cakile geniculata</i> (Robins.) Millsp.	<i>Gulf searocket</i>	?
<i>C. lanceolata</i> (Willd.) O. F. Schultz	<i>Sea rocket</i>	FACW-
<i>Calamovilfa arcuata</i> K. Rogers	<i>Sandreed</i>	OBL
<i>Callitrichie deflexa</i> A. Braun	<i>Waterstarwort</i>	FACW-
<i>C. heterophylla</i> Pursh	<i>Larger waterstarwort</i>	OBL DRA
<i>C. nuttallii</i> Torr.	<i>Nuttall waterstarwort</i>	FACW-
<i>C. peploides</i> Nutt.	<i>Waterstarwort</i>	OBL
<i>C. verma</i> L.	<i>Green waterstarwort</i>	OBL
<i>Calopogon tuberosus</i> (L.) B.S.P.	<i>Spring waterstarwort</i>	OBL
<i>Calycocarpum luorii</i> (Pursh) Grav	<i>Lyon cupseed</i>	FACW
<i>Calyptocarpus vialis</i> Less.	<i>Calyptocarpus</i>	FAC
<i>Camassia scilloides</i> (Raf.) Cory	<i>Atlantic camass</i>	FAC
<i>Carpanula rotundifolia</i> L.	<i>American bellflower</i>	FAC
<i>Campsis radicans</i> (L.) Seem.	<i>Common trumpet creeper</i>	FAC
<i>Canna flaccida</i> Salisb.	<i>Golden canna</i>	OBL
<i>C. glauca</i> L.	<i>Louisiana canna</i>	OBL
<i>C. indica</i> L.	<i>Indian shot</i>	FACW+
<i>Caperonia palustris</i> St. Hil.	<i>Caperonia</i>	FACW
<i>Capsella bursa-pastoris</i> (L.) Medik.	<i>Shepherds purse</i>	FAC
<i>Cardamine bulbosa</i> (Schreb.) B.S.P.	<i>Bulb bittercress</i>	OBL
<i>C. parviflora</i> L.	<i>Bittercress</i>	?
<i>C. pensylvanica</i> Muhl. ex Willd.	<i>Pennsylvania bittercress</i>	FACW
<i>Cardiospermum halicacabum</i> L.	<i>Balloongrass heartseed</i>	FAC
<i>Carex alata</i> Torr. & Gray	<i>Wingseed sedge</i>	OBL
<i>C. albolutescens</i> Schweinitz	<i>Sedge</i>	FACW
<i>C. amphibola</i> Steud.	<i>Sedge</i>	OBL
<i>C. arnlectens</i> (Bickn.) Bickn.	<i>Sedge</i>	FACW+
<i>C. atlantica</i> L. H. Bailey	<i>Eastern sedge</i>	OBL
<i>C. aurea</i> Nutt.	<i>Golden sedge</i>	OBL
<i>C. bicknellii</i> Britton	<i>Bicknell sedge</i>	FACW
<i>C. brevior</i> (Dewey) Mackenz. ex Lunnell	<i>Brevior sedge</i>	OBL
<i>C. brittoniana</i> L. H. Bailey	<i>Britton sedge</i>	FACW
<i>C. bushii</i> Mackenz.	<i>Bush sedge</i>	OBL
<i>C. buxbaumi</i> Wahlenb.	<i>Ruxbaum sedge</i>	OBL

<i>C. caroliniana</i> Schweinitz	Carolina sedge	OBL
<i>C. cephalophora</i> Muhl.	Woodbank sedge	OBL
<i>C. cherokeensis</i> Schweinitz	Cherokee sedge	FACW-
<i>C. comosa</i> Boott	Longhair sedge	OBL
<i>C. complanata</i> Torr. & Hook.	Blue sedge	OBL
<i>C. crebriflora</i> Wiegand	Sedge	OBL
<i>C. crinita</i> Lam.	Fringed sedge	OBL
<i>C. crus-corvi</i> Shattew.	Sedge	OBL
<i>C. debilis</i> Michx.	Sedge	OBL
<i>C. decomposita</i> Muhl.	Sedge	OBL
<i>C. douglasii</i> Boott	Douglas sedge	FAC+
<i>C. emoryi</i> Dewey	Emory sedge	OBL
<i>C. fissa</i> Mackenz.	Sedge	OBL
<i>C. flaccosperma</i> Dewey	Sedge	FACW
<i>C. frankii</i> Kunth	Frank sedge	OBL
<i>C. gigantea</i> Rudge	Giant sedge	OBL
<i>C. glaucescens</i> Elliott	Sedge	OBL
<i>C. hyalina</i> Boott	Hyaline sedge	FACW
<i>C. hyalinolepis</i> Steudel	Lake sedge	OBL
<i>C. hystricina</i> Muhl.	Bottlebrush sedge	OBL
<i>C. intumescens</i> Rudge	Sedge	OBL
<i>C. joorii</i> L. H. Bailey	Joor sedge	OBL
<i>C. lacustris</i> Willd.	River sedge	OBL
<i>C. lanuginosa</i> Michx.	Wooly sedge	OBL
<i>C. lasiocarpa</i> Ehrh.	Woolfruit sedge	OBL
<i>C. leptalea</i> Wahlenb	Bristlestalked sedge	OBL
<i>C. longii</i> Mackenz.	Long sedge	OBL
<i>C. louisianica</i> L. H. Bailey	Louisiana sedge	OBL
<i>C. lupuliformis</i> Sartw.	Hoplike sedge	OBL
<i>C. lupulina</i> Muhl.	Hop sedge	OBL
<i>C. lurida</i> Wahlenb.	Lurid sedge	OBL
<i>C. meadii</i> Dewey	Mead sedge	FACW
<i>C. microdonta</i> Torr. & Hook.	Sedge	OBL
<i>C. molesta</i> Mackenz.	Sedge	FACW-
<i>C. muskingumensis</i> Schweinitz	Muskingum sedge	OBL
<i>C. normalis</i> Mackenz.	Normal sedge	OBL
<i>C. oklahomensis</i> Mackenz.	Oklahoma sedge	FACW+
<i>C. oxyacarpa</i> Holm	Sedge	OBL
<i>C. oxylepis</i> Torr. & Hook.	Sedge	OBL
<i>C. physorrhyncha</i> Liebm.	Sedge	?
<i>C. praegracilis</i> W. Boott	Clustered field sedge	FACW
<i>C. reniformis</i> (L. H. Bailey) Small	Sedge	OBL
<i>C. simulata</i> Mackenz.	Alalogne sedge	OBL
<i>C. sparganioides</i> Muhl. ex Willd.	Burreed sedge	FAC+
<i>C. stipata</i> Muhl.	Sawbeak sedge	OBL
<i>C. straminea</i> Willd.	Sedge	OBL
<i>C. stricta</i> Lam.	Sedge	OBL
<i>C. styloflexa</i> Buckl.	Sedge	OBL
<i>C. tetanica</i> Schkuhr.	Sedge	FACW
<i>C. triangularis</i> Boeckler	Three-angled sedge	OBL
<i>C. tribuloides</i> Wahlenb.	Bristlebract sedge	OBL
<i>C. vultinoides</i> Michx.	Fox sedge	OBL
<i>C. willdenowii</i> Schkuhr	Sedge	OBL
<i>Carpinus caroliniana</i> Walter	American hornbeam	FAC

<i>Carya aquatica</i> (Michx. f.) Nutt.	Water hickory	OBL
<i>C. cordiformis</i> (Wangenh.) K. Koch	Bitternut hickory	FAC
<i>C. illinoensis</i> (Wangenh.) K. Koch	Pecan	FAC+
<i>C. laciniosa</i> (Michx. f.) Loud.	Shellbark hickory	FAC
<i>C. X lecontei</i> Little	Leconte hickory	OBL
<i>C. myristiciformis</i> (Michx. f.) Nutt.	Nutmeg hickory	FACW-
<i>Cassia bicapsularis</i> L.	Christmas cassia	FAC
<i>C. marilandica</i> L.	Maryland senna	FAC
<i>Cassytha filiformis</i> L.	Cassytha	-
<i>Cayaponia quinqueloba</i> (Raf.) Shinners	Cayaponia	FAC
<i>Celtis laevigata</i> Willd.	Sugarberry	FAC
<i>C. occidentalis</i> L.	Common hackberry	FAC
<i>Centaurium calycosum</i> (Buckl.) Fernald	Arizona centaury	FACW-
<i>Centella asiatica</i> (L.) Urban	Spadeleaf	FACW
<i>C. erecta</i> (L. f.) Fernald	Coinwort	FACW
<i>Centunculus minimus</i> L.	Chaffweed	FACW+
<i>Cephalanthus occidentalis</i> L.	Common buttonbush	OBL
<i>C. salicifolius</i> Humb. & Bonpl.	Willowleaf buttonbush	OBL
<i>Cerastium nutans</i> Raf.	Common chickweed	FAC
<i>Ceratophyllum demersum</i> L.	Coontail	OBL
<i>C. muricatum</i> Cham.	Coontail	OBL
<i>Ceratopteris thalictroides</i> (L.) Brongn.	Oriental waterfern	OBL
<i>Chaerophyllum tainturieri</i> Hook.	Chaerophyllum	FAC
<i>Chaptalia tomentosa</i> Vent.	Chaptalia	FACW
<i>Chasmanthium latum</i> (L.) H. Yates	Chasmanthium	FAC
<i>C. sessiliflorum</i> (Poir.) H. Yates	Sessile flowered chasmanthium	FAC
<i>Chenopodium album</i> L.	Lamb's quarters	FAC
<i>C. ambrosioides</i> L.	Mexican-tea	FAC
<i>Chionanthus virginicus</i> L.	White fringetree	FAC
<i>Ciclospermum leptophyllum</i> (Pers.) Sprague ex Britton	Ciclospermum	-
<i>Cicutza maculata</i> L.	Common waterhemlock	OBL
<i>C. mexicana</i> C. & R.	Mexican waterhemlock	OBL
<i>Cinna arundinacea</i> L.	Stout woodreed	FACW
<i>Cirsium horridulum</i> Michx.	Plumeless thistle	FAC
<i>C. muticum</i> Michx.	Swamp thistle	FACW+
<i>Cladia jamaicensis</i> Crantz	Jamaica sawgrass	OBL
<i>C. mariscoides</i> (Nuhl.) Torr.	Twig-rush	OBL
<i>Clavia suaedaeifolia</i> Gray	Clappia	FACW-
<i>Cleistes divaricata</i> (L.) Ames	Cleistes	FAC+
<i>Clematis crispa</i> L.	Curly clematis	FAC
<i>C. glaucocephala</i> Small	Clematis	FAC
<i>Cleome multicaulis</i> Sesse & Moc.	Multistem beeplant	?
<i>C. serrulata</i> Pursh	Rocky Mountain beeplant	?
<i>Cleomella angustifolia</i> Torr.	Narrowleaf rhombopod	FAC
<i>Clethra alnifolia</i> L.	Summersweet clethra	FACW
<i>Coelochachis rugosa</i> (Nutt.) Nash	Coelochachis	?
<i>Corynelia cornutis</i> L.	Common dayflower	FAC
<i>C. diffusa</i> Burn. f.	Spreading dayflower	FACW
<i>C. virginica</i> L.	Virginia dayflower	FAC
<i>Corynclinium heterophyllum</i> (Mill.) R. M. King & H. Rob.	Betonyleaf eupatorium	FACW
<i>C. coelestinum</i> (L.) DC.	Mistflower	FACW-
<i>C. greggii</i> (Gray) Small	Palmleaf eupatorium	FACW-

<i>Conyza canadensis</i> (L.) Cronq.	Canada horseweed	?
<i>C. coulteri</i> Gray	Conyza	FACW-
<i>Corallorrhiza wisteriana</i> Conrad	Spring coralroot	FAC
<i>Coreopsis lanceolata</i> L.	Lance coreopsis	FAC
<i>C. linifolia</i> Nutt.	Narrow-leaf coreopsis	FACW
<i>C. tinctoria</i> Nutt.	Tickseed coreopsis	FAC
<i>C. tripteris</i> L.	Tall coreopsis	FAC
<i>Cornus amomum</i> Mill.	Silky dogwood	FACW
<i>C. drummondii</i> C. A. Meyer	Roughleaf dogwood	FAC
<i>C. foemina</i> Mill.	Gray dogwood	FACW
<i>Crassula aquatica</i> (L.) Schoenl.	Crassula	OBL
<i>Crataegus berberifolia</i> Torr. & Gray	Barberry hawthorn	FAC+
<i>C. brachyacantha</i> Sarg. & Engelm.	Blueberry hawthorn	FACW
<i>C. douglasii</i> Lindl.	Black hawthorn	FAC
<i>C. mollis</i> Scheele	Downy hawthorn	FAC
<i>C. opaca</i> Hook. & Arn.	Riverflat hawthorn	?
<i>C. spathulata</i> Michx.	Littlehip hawthorn	FAC+
<i>C. texana</i> Buckley	Texas hawthorn	FAC
<i>C. viridis</i> L.	Green hawthorn	FAC
<i>Cressa nudicaulis</i> Griseb.	Leafless cressa	OBL
<i>C. truxillensis</i> H.B.K.	Alkali weed	FACW-
<i>Crinum americanum</i> L.	Swamp-lily	OBL
<i>C. strictum</i> Herb.	Swamp-lily	FACW+
<i>Cryptotaenia canadensis</i> (L.) DC.	Honewort	FAC
<i>Cucurbita texana</i> (Scheele) Gray	Texas cucurbita	FAC
<i>Cuphea carthagenensis</i> (Jacq.) Macbr.	Tarweed cuphea	FACW-
<i>C. glutinosa</i> Cham. & Schlecht.	Cuphea	FACW-
<i>C. viscosissima</i> Jacq.	Cuphea	?
<i>Cymodocea filiformis</i> (Kuetz.) Correll	Manateegrass	OBL
<i>Cyrinchium angustifolium</i> Pers.	Marsh swallow-wort	OBL
<i>Cynoctonum mitreola</i> (L.) Britton	Lax hornpod	FACW+
<i>C. sessilifolium</i> (Walter) J. F. Gmel.	Wand hornpod	FACW+
<i>Cynoscidioides digitatum</i> DC.	Finger dogshade	FACW
<i>Cyperus acuminatus</i> Torr. & Hook.	Taperleaf flatsedge	OBL
<i>C. albomarginatus</i> Mart. & Schrader	Whiteedge flatsedge	FAC
<i>C. alternifolius</i> L.	Umbrella sedge	FACW+
<i>C. aristatus</i> Rottb.	Bearded flatsedge	OBL
<i>C. articulatus</i> L.	Jointed flatsedge	OBL
<i>C. brevifolius</i> (Rottb.) Hassk.	Kyllinga	FACW
<i>C. compressus</i> L.	Flat cyperus	FACW
<i>C. diandrus</i> Torr.	Low flatsedge	FACW
<i>C. digitatus</i> Roxb.	Finger flatsedge	FACW+
<i>C. elegans</i> L.	Sticky flatsedge	FACW-
<i>C. erythrorhizos</i> Muhl.	Redroot cyperus	OBL DRA
<i>C. esculentus</i> L.	Chufa	FACW
<i>C. fendleri</i> Boeckl.	Fendler flatsedge	FAC+
<i>C. ferax</i> L. C. Rich.	Coarse cyperus	FACW
<i>C. formosana</i> Boeckl.	Rusty cyperus	OBL
<i>C. filiformis</i> Vahl	Nuttall's cyperus	FACW+
<i>C. filiculmis</i> Vahl	Slender cyperus	-
<i>C. flavescens</i> L.	Yellow cyperus	OBL
<i>C. flava</i> (Vahl) Vahl ex Nees.	Cyperus	FAC
<i>C. giganteus</i> Vahl	Giant flatsedge	OBL
<i>C. pectinatus</i> Aubl.	Baldwin's flatsedge	FAC+

<i>C. haspan</i> L.	Sheathed cyperus	OBL
<i>C. hermaphroditus</i> (Jacq.) Standl.	Sand flatsedge	FAC
<i>C. huarmensis</i> (H.B.K.) M. C. Johnst.	Cyperus	FAC+
<i>C. iria</i> L.	Rice flatsedge	FACW
<i>C. laevigatus</i> L.	Smooth flatsedge	FAC+
<i>C. lancastriensis</i> T. Porter ex Gray	Lancaster cyperus	FAC+
<i>C. niger</i> Ruiz & Pavon	Black flatsedge	FACW
<i>C. ochraceus</i> Vahl	Flatsedge	FACW
<i>C. odoratus</i> L.	Fragrant flatsedge	FACW
<i>C. onerosus</i> M. C. Johnst.	Umbrella sedge	FACW
<i>C. ovularis</i> (Michx.) Torr.	Pine barren cyperus	FAC+
<i>C. oxyfera</i> Nees. ex Steud.	Sharscale flatsedge	FACW
<i>C. phaeolepis</i> Cherm.	Cyperus	FAC+
<i>C. polystachys</i> Roth.	Many-spiked flatsedge	FACW
<i>C. prolatus</i> Humb. & Kunth	Cyperus	FAC+
<i>C. pseudovegetus</i> Steud.	Green flatsedge	FACW
<i>C. reflexus</i> Vahl	Bentawn flatsedge	FAC
<i>C. retrofractus</i> (L.) Torr.	Rough cyperus	?
<i>C. retrorsus</i> Chapm.	Cylinder flatsedge	FAC
<i>C. riparia</i> Kunth	Shining cyperus	FACW
<i>C. rotundus</i> L.	Nutgrass	FAC
<i>C. schweinitzii</i> Torr.	Schweinitz flatsedge	FAC
<i>C. seslerioides</i> H.B.K.	Cyperus	FAC+
<i>C. sesquiflorus</i> (Torr.) Mattf. & Kukenth.	Fragrant kyllinga	FACW-
<i>C. setigerus</i> Torr. & Hook.	Lean flatsedge	FAC
<i>C. strigosus</i> L.	Straw-colored cyperus	FACW
<i>C. surinamensis</i> Rottb.	Tropical flatsedge	FACW
<i>C. tenuifolius</i> (Steud.) Dandy	Low kyllinga	FACW
<i>C. tenuis</i> Swartz	Cyperus	FACW
<i>C. virgata</i> Michx.	Green flatsedge	FACW
<i>Diprionidium calceolus</i> L.	Yellow lady's-slipper	FACW-
<i>Diprionidium racemiflora</i> L.	Swamp cyrilla	FACW+
<i>Dipteris pinnatifida</i> (L.) Bernh.	Berry bladderfern	FACW
<i>Dioscorea macrophylla</i> (Nutt.) Raf.	Dasistoma	FAC
<i>Dodonaea viscosa</i> (L.) Elliott	Water willow	OBL
<i>Desmodium canadense</i> (L.) DC.	Tick-trifoliate	FAC
<i>Dichanthelium acuminatum</i> (Swartz) Gould & C. A. Clarke	Pacific panicum	FAC DRA
<i>D. clandestinum</i> (L.) Gould	Deertongue dichanthelium	FAC+
<i>D. corrutatum</i> (J. A. Schultes) Gould	Variable dichanthelium	FAC
<i>D. dichotomum</i> (L.) Gould	Forked panicum	FAC
<i>D. leucoblepharis</i> (Trin.) Gould & C. A. Clarke	Little panicum	FACW
<i>D. ravenelii</i> (Scribn.) Gould	Ravenell's panic-grass	FAC
<i>D. sabulorum</i> (Lam.) Gould & C. A. Clarke	Hemlock panicum	FAC
<i>D. scarbriesculum</i> (Elliott) Gould & C. A. Clarke	Velvet panicum	OBL
<i>D. securigera</i> (Lam.) Gould	Velvet panicum	FACW-
<i>Dichondra caroliniana</i> Michaux	Carolina dichondra	FAC+
<i>D. micrantha</i> Urban	Dichondra	FACW-
<i>D. occidentalis</i> Tharp & Johnston	Dichondra	FAC
<i>Dichromena colorata</i> (L.) Hitchc.	Whitetop	?
<i>D. latifolia</i> Baldwin	Sandswamp whitetopsedge	OBL
<i>D. nivea</i> Boeckl.	Whitetopsedge	FACW+

<i>Dicliptera brachiata</i> (Pursh) Spreng.	<i>Dicliptera</i>	FACW
<i>Didiplis diandra</i> (Nutt.) Wood	Water-purslane	OBL
<i>Digitaria insularis</i> (L.) Mez	Crabgrass	FAC
<i>D. serotina</i> (Walter) Michx.	Blanket fingergrass	FAC
<i>Diodia teres</i> Walter	Rough buttonweed	?
<i>D. virginiana</i> L.	Virginia buttonweed	OBL
<i>Dioscorea villosa</i> L.	Atlantic yam	FAC
<i>Diospyros virginiana</i> L.	Common persimmon	FAC
<i>Distichlis spicata</i> (L.) Greene	Seashore saltgrass	FACW+
<i>Dodecatheon meadia</i> L.	Common shootingstar	FAC
<i>Dracopis amplexicaulis</i> (Vahl) Cass.	<i>Dracopis</i>	FAC+
<i>Drosera brevifolia</i> Pursh	Small leaved sundew	OBL
<i>D. capillaris</i> Poir.	Pink sundew	OBL
<i>D. intermedia</i> Hayne	Spatulate-leaved sundew	OBL
<i>Drymaria pachyphylla</i> Woot. & Standl.	Inkweed drymary	FACW-
<i>Dryopteris cristata</i> (L.) Gray	Crested shieldfern	OBL
<i>D. ludoviciana</i> (Kunze) Small	Louisiana woodfern	FACW+
<i>Dulichium arundinaceum</i> (L.) Britton	Three-way-sedge	OBL
<i>Echinochloa colona</i> (L.) Link	Jungle-rice	FACW DRA
<i>E. crus-galli</i> (L.) Beauv.	Barnyard grass	FACW- DRA
<i>E. crus-pavonis</i> (H.B.K.) J. A. Schultes	Alkali barnyardgrass	OBL
<i>E. muricata</i> (Beauv.) Fernald	Barnyard grass	FACW DRA
<i>E. paludigena</i> Wiegand	Florida cockspur	OBL
<i>E. polystachya</i> (H.B.K.) A. Hitchc.	Caribgrass	FACW+
<i>E. walteri</i> (Pursh) A. Heller	Walter millet	OBL DRA
<i>Echinocystis lobata</i> (Michaux) T. & G.	Wild cucumber	FAC
<i>Echinodorus cordifolius</i> (L.) Griseb.	Creeping burhead	OBL
<i>E. parvulus</i> Engelm.	Burhead	OBL
<i>E. rostratus</i> (Nutt.) Engelm.	Slender burhead	OBL
<i>E. tenellus</i> (Mart.) Buch.	Common verbadetajo	FACW
<i>Eclipta alba</i> (L.) Hassk.	Brazilian elodea	OBL
<i>Egeria densa</i> Planch.	Egletes	FACW
<i>Egletes viscosa</i> (L.) Less.	Sawpetal waterhyacinth	OBL
<i>Eichornia azurea</i> (Swartz) Kunth	Common waterhyacinth	OBL
<i>E. crassipes</i> (Mart.) Solms.	Russian olive	FAC
<i>Elaeagnus angustifolia</i> L.	American waterwort	OBL
<i>Elatine americana</i> (Pursh) Arn.	Shortseed waterwort	FACW
<i>E. brachysperma</i> Grav	Matted waterwort	OBL
<i>E. triandra</i> Schkuhr	Slender spikerush	OBL
<i>Eleocharis acicularis</i> (L.) R. & S.	Sharscale spikesedge	OBL
<i>E. acutisquamata</i> Buckl.	Saltmarsh spikebrush	OBL
<i>E. albida</i> Torr.	Purple spikerush	FACW
<i>E. atropurpurea</i> (Retz.) J. & K. Presl	Spike-rush	?
<i>E. austrotexana</i> M. C. Johnst.	Baldwin's spikerush	FACW
<i>E. baldwini</i> (Torr.) Chapm.	Canada spidesedge	FACW
<i>E. caribaea</i> (Rottb.) Blake	Gulfcoast spikerush	OBL
<i>E. cellulosa</i> Torr.	Flat-stemmed spike-rush	FACW
<i>E. compressa</i> Sulliv.	Cylinder spike-rush	OBL
<i>E. cylindrica</i> Buckl.	Water spikerush	OBL
<i>E. elongata</i> Chapm.	Engelmann's spikerush	FACW
<i>E. engelmarnii</i> Steud.	Northern jointed spikerush	OBL
<i>E. euclisetoides</i> (Elliott) Torr.	Creeping spikerush	OBL
<i>E. erythropoda</i> Steud.	Creeping spike-rush	OBL
<i>E. fallax</i> Weatherby		

<i>E. fistulosa</i> (Poir.) Schultes	Hollowstem spikerush	FAC+
<i>E. flavescentia</i> (Poir.) Urban	Yellow spikerush	OBL
<i>E. geniculata</i> (L.) R. & S.	Spikerush	FACW+
<i>E. interstincta</i> (Vahl) R. & S.	Southern jointed spikerush	OBL
<i>E. lanceolata</i> Fernald	Lanceleaf spikesedge	FACW
<i>E. macrostachya</i> Britton	Creeping spikerush	OBL
<i>E. melanocarpa</i> Torr.	Black-fruited spike-rush	FACW
<i>E. microcarpa</i> Torr.	Torrey's spikerush	OBL
<i>E. minima</i> Kunth	Small spikesedge	OBL
<i>E. montana</i> H.B.K.	Mountain spikesedge	OBL
<i>E. montevideensis</i> Kunth	Sand spikesedge	FACW+
<i>E. obtusa</i> (Willd.) Schult.	Blunt spikesedge	OBL
<i>E. ovata</i> (Roth) R. & S.	Ovate spikerush	OBL
<i>E. palustris</i> (L.) R. & S.	Common spikesedge	OBL
<i>E. parvula</i> (R. & S.) Link	Dwarf spikerush	OBL
<i>E. quadrangularis</i> (Michx.) R. & S.	Squarestem spikerush	OBL
<i>E. radicans</i> (A. Dietr.) Kunth	Slender spikerush	OBL
<i>E. rostellata</i> Torr.	Beaked spikerush	OBL
<i>E. smallii</i> Britton	Small's spikerush	OBL
<i>E. tenuis</i> (Willd.) Schult.	Slender spikerush	FACW
<i>E. tortilis</i> (Link) Schult.	Twisted spikerush	FACW
<i>E. tuberculosa</i> (Michx.) R. & S.	Large tubercled spiked-rush	OBL
<i>Elephantopus carolinianus</i> Raeusch.	Elephant's foot	FAC
<i>Ellisia nyctelea</i> L.	False babyblueeyes	FAC
<i>Elodea canadensis</i> Michx.	Common waterweed	OBL
<i>E. nuttallii</i> (Planch.) St. John	Nuttall waterweed	OBL
<i>Elymus canadensis</i> L.	Canada wildrye	FAC+
<i>E. triticoides</i> Buckley	Creeping wildrye	FAC DRA
<i>E. virginicus</i> L.	Virginia wildrye	FAC
<i>Eremion bitematum</i> Raf.	Enemion	-
<i>Fripactis gigantea</i> Dougl.	Giant hellebore	OBL
<i>Equisetum arvense</i> L.	Field horsetail	FAC+
<i>E. X ferrissii</i> Clute	Ferriss horsetail	FACW
<i>E. hyemale</i> L.	Scouringrush horsetail	FACW
<i>E. laevigatum</i> A. Braun	Smooth horsetail	FACW
<i>Eragrostis elliottii</i> S. Wats.	Elliott lovegrass	FACW-
<i>E. frankii</i> C. A. Meyer	Frank's lovegrass	FACW
<i>E. glomerata</i> (Walter) L. Dewey	Pond lovegrass	OBL
<i>E. hypnoides</i> (Lam.) B.S.P.	Teal lovegrass	OBL DRA
<i>E. pectinacea</i> (Michx.) Nees.	Carolina lovegrass	FAC
<i>E. refracta</i> (Chapm.) Scribn.	Coastal lovegrass	FACW
<i>E. reptans</i> (Michx.) Nees.	Creeping lovegrass	OBL DRA
<i>Erianthus alopecuroides</i> (L.) Elliott	Silver plumegrass	FACW-
<i>E. contortus</i> Baldw.	Bent-awn plumegrass	FAC
<i>E. giganteus</i> (Walter) F. T. Hubb. non Muhl.	Sugarcane plumegrass	FACW+
<i>E. strictus</i> Baldw.	Narrow plumegrass	FACW+
<i>Erigeron annuus</i> (L.) Pers.	Daisy fleabane	FAC
<i>E. flagellaris</i> Grav	Trailing fleabane	FAC
<i>E. tunicata</i> Small	Corpus Christi fleabane	FACW-
<i>E. philadelphicus</i> L.	Philadelphia fleabane	FAC
<i>Eriocaulon corrugatum</i> Lam.	Pipewort	OBL
<i>E. decangulare</i> L.	Tangle pipewort	OBL
<i>E. hermisticum</i> Van Heurck & Muell. Arg.	Small-headed pipewort	OBL

<i>E. septangulare</i> With.	Pipewort	OBL
<i>E. texense</i> Korn.	Texas pipewort	OBL
<i>Eriochloa contracta</i> Hitchc.	Prairie cupgrass	FAC+
<i>E. gracilis</i> (Fourn.) Hitchc.	Southwestern cupgrass	FAC
<i>E. punctata</i> (L.) Desv.	Louisiana cupgrass	FACW-
<i>Eryngium heterophyllum</i> Engelm.	Mexican thistle	FAC+
<i>E. hookeri</i> Walpers	Hooker eryngo	?
<i>E. integrifolium</i> Walter	Eryngo	FACW+
<i>E. nasturtiifolium</i> Juss.	Hierba del sapo	?
<i>E. prostratum</i> Nutt.	Creeping eryngo	FACW+
<i>E. yuccifolium</i> Michx.	Button snakeroot	FACW
<i>Euonymus americanus</i> L.	Strawberrybush euonymus	FACW
<i>E. atropurpureus</i> Jacq.	Eastern wahoo euonymus	FAC+
<i>Eupatoriadelphus fistulosus</i> (Barratt ex Hook.) R. M. King & H. Rob.	Joe-pye weed	FACW
<i>E. purpureus</i> (L.) R. M. King & H. Rob.	Joe-pyeweed	FAC
<i>Eupatorium leucolepis</i> (DC.) Torr & Gray	White bracted thoroughwort	FACW+
<i>E. perfoliatum</i> L.	Boneset	FACW+
<i>E. rotundifolium</i> L.	Roundleaf joe-pye weed	FAC
<i>E. semiserratum</i> DC.	Small-flowered eupatorium	FAC
<i>Euphorbia humistrata</i> Engelm.	Euphorbia	-
<i>E. serpens</i> H.B.K.	Euphorbia	FAC
<i>Eurytemon mexicanum</i> (Wats.) Alex.	Mexican eurytemon	OBL
<i>Eustoma exaltatum</i> (L.) Griseb.	Eustoma	FACW
<i>Euthamia camporum</i> Greene	Bushy golden-rod	FAC+
<i>E. graminifolia</i> (L.) Nutt.	Grass-leaved goldenrod	FACW
<i>E. leptcephala</i> (Torr. & Gray) Greene	Western bushy goldenrod	FAC+
<i>Fimbristylis annua</i> (All.) Roem. & J. A. Schultes	Annual fimbristylis	FACW- DRA
<i>F. autumnalis</i> (L.) R. & S.	Slender fimbristylis	OBL
<i>F. caroliniana</i> (Lam.) Fernald	Carolina fimbristylis	FACW+
<i>F. castanea</i> (Michx.) Vahl	Saltmarsh fimbristylis	OBL
<i>F. decipiens</i> Kral	Fimbristylis	FAC
<i>F. dichotoma</i> (L.) Vahl	Tall fringe rush	FACW+
<i>F. miliacea</i> (L.) Vahl	Fimbristylis	OBL
<i>F. puberula</i> (Michx.) Vahl	Fimbristylis	?
<i>F. tectorum</i> Vahl.	Fimbristylis	FACW+
<i>Flaveria brownii</i> A. Powell	Brown flaveria	FACW
<i>F. campestris</i> J. R. Johnston	Flaveria	FACW
<i>F. chlorifolia</i> Gray	Greenleaf flaveria	-
<i>Fleischmannia incarnata</i> (Walter)	Fleishmannia	FAC
R. M. King & H. Rob.		
<i>Ficaria verna</i> Mill.	Common fennel	FAC
<i>Forestiera acuminata</i> (Michx.) Poir.	Swamp-privet	OBL
<i>Fragaria virginiana</i> Duchesne	Wild strawberry	FAC
<i>Fritzirus berlandierana</i> DC.	Berlandier ash	FAC
<i>F. caroliniana</i> Mill.	Water ash	OBL
<i>F. pennsylvanica</i> Marshall	Green Ash	FACW-
<i>F. velutina</i> Torr.	Velvet ash	FAC
<i>Fuirena breviseta</i> Cov.	Rush fuirena	OBL
<i>F. rumila</i> Torr.	Fuirena	OBL
<i>F. scirpoidea</i> Michx.	Rush fuirena	OBL
<i>F. simplex</i> Vahl	Fuirena	OBL
<i>F. squarrosa</i> Michx.	Hairy umbrella-sedge	OBL

<i>Galium mexicanum</i> H.B.K.	Rough bedstraw	FAC
<i>G. obtusum</i> Bigel.	Bluntleaf bedstraw	OBL
<i>G. tinctorium</i> L.	Dye bedstraw	OBL
<i>G. trifidum</i> L.	Small bedstraw	FACW+
<i>G. uncinulatum</i> DC.	Bristly bedstraw	FAC
<i>Gamochaeta purpurea</i> (L.) Cabrera	Purple gamochaeta	-
<i>Gelsemium sempervirens</i> (L.) Ait. f.	Carolina jessamine	FAC
<i>Gentiana saponaria</i> L.	Soapwort gentian	FACW-
<i>Geum canadense</i> Jacq.	White avens	FAC
<i>Glechoma aquatica</i> Marshall	Waterlocust	OBL
<i>G. triacanthos</i> L.	Honeylocust	FAC
<i>Glinus lotoides</i> L.	Glinus	FACW- DRA
<i>G. radiatus</i> (R. & P.) Rohrb.	Glinus	FACW-
<i>Glyceria septentrionalis</i> A. Hitchc.	Eastern mannagrass	OBL
<i>G. striata</i> (Lam.) A. Hitchc.	Fowl mannagrass	OBL
<i>Glycyrrhiza lepidota</i> Pursh	Wild licorice	FAC+
<i>Gnaphalium chilense</i> Sprengel	Cottonbatting cudweed	FAC
<i>Gratiola brevifolia</i> Raf.	Sticky hedgehyssop	FACW+
<i>G. flava</i> Leavenw.	Hedgehyssop	?
<i>G. floridana</i> Nutt.	Florida hedgehyssop	OBL
<i>G. neglecta</i> Torr.	Neglected hedgehyssop	OBL DRA
<i>G. pilosa</i> Michx.	Shaggy hedgehyssop	FACW+
<i>G. virginiana</i> L.	Virginia hedgehyssop	OBL
<i>Habenaria quinqueseta</i> (Michx.) Swartz	Long-horned habernaria	FACW+
<i>H. repens</i> Nutt.	Water-spider orchid	OBL
<i>Habranthus texanus</i> (Herb.) Steud.	Texas habranthus	?
<i>Hackelia floribunda</i> (Lehm.) Johnst.	Western sticktight	FAC
<i>H. virginiana</i> (L.) Johnst.	Stickseed	FAC+
<i>Halesia carolina</i> L.	Carolina silverbell	FAC
<i>H. diptera</i> Ellis	Two-wing silverbell	FAC+
<i>Halodule beaudettei</i> (Den Hartog)	Shoalgrass	OBL
Den Hartog		
<i>Halophila engelmannii</i> Aschers.	Gulf halophila	OBL
<i>Hamamelis vernalis</i> Sarg.	Vernal witchhazel	FAC
<i>Heimia salicifolia</i> (H.B.K.) Link & Otto	Willowleaf heimia	FACW+
<i>Helenium autumnale</i> L.	Common sneezeweed	FACW-
<i>H. drummondii</i> H. Rock	Fringed sneezeweed	FACW-
<i>H. flexuosum</i> Raf.	Purplehead sneezeweed	FACW
<i>H. microcephalum</i> DC.	Tarweed	FACW-
<i>Helianthus angustifolius</i> L.	Swamp sunflower	FAC
<i>H. annuus</i> L.	Common sunflower	FAC
<i>H. ciliaris</i> DC.	Blueweed sunflower	FAC
<i>H. grosseserratus</i> Martens	Sawtooth sunflower	FAC
<i>H. tuberosus</i> L.	Jerusalem artichoke	FAC
<i>Heliotropium curassavicum</i> L.	Seaside heliotrope	FACW DRA
<i>H. glabriusculum</i> Gray	Heliotrope	FACW
<i>H. greggii</i> Gray	Gregg heliotrope	FACW
<i>H. indicum</i> L.	Indian heliotrope	FACW DRA
<i>H. molle</i> (Torr.) I. Johnston	Heliotrope	FACW
<i>H. prostratum</i> Miller	Heliotrope	FACW-DFA
<i>Herantheria altissima</i> Stapf & Hubb.	Redtop hemarthria	FACW
<i>Hemicarpha cristulata</i> (Coville) B.B. Smyth	Awned hemicarpha	FACW+
<i>H. drummondii</i> Nees.	Drummond hemicarpha	FACW+
<i>H. micrantha</i> (Vahl) Britton	Common hemicarpha	FACW+

<i>Heteranthera liebmennii</i> (Buch.) Shinners	Liebmenn mudplantain	OBL
<i>H. limosa</i> (Swartz) Willd.	Longleaf mudplantain	OBL
<i>H. reniformis</i> R. & P.	Roundleaf mudplantain	OBL
<i>Heuchera leptomeria</i> Greene	Alumroot	FAC
<i>Hibiscus aculeatus</i> Walter	Rough rosemallow	FACW
<i>H. coccineus</i> (Medik.) Walter	Scarlet rosemallow	OBL
<i>H. dasycalyx</i> Blake & Shiller	Neches River hibiscus	OBL
<i>H. laevis</i> All.	Halberd-leaved rose-mallow	OBL
<i>H. lambertianus</i> H.B.K.	Lambert hibiscus	OBL
<i>H. moscheutos</i> L.	Rose mallow	OBL
<i>Hoffmanseggia glauca</i> (Ort.) Eifert	Hoffmanseggia	FAC
<i>Holcus lanatus</i> L.	Common velvetgrass	FAC
<i>Hordeum jubatum</i> L.	Foxtail barley	FAC+
<i>Hottonia inflata</i> Elliott	Featherfoil	OBL
<i>Hydrilla verticillata</i> Royle	Hydrilla	OBL
<i>Hydrochloa carolinensis</i> Beauv.	Watergrass	OBL
<i>Hydrocleys nymphoides</i> (Humb. & Bonpl. ex Willd.) Buchenau	Waterpoppy	OBL
<i>Hydrocotyle bonariensis</i> Lam.	Largeleaf pennywort	FACW
<i>H. ranunculoides</i> L. f.	Floating pennywort	OBL
<i>H. umbellata</i> L.	Umbrella pennywort	OBL
<i>H. verticillata</i> Thunb.	Worled pennywort	OBL
<i>Hydrolea ovata</i> Nutt.	Hairy hydrolea	OBL
<i>H. spinosa</i> L.	Spiny hydrolea	OBL
<i>H. uniflora</i> Raf.	Smooth hydrolea	OBL
<i>Hygrophila lacustris</i> (Schlecht. & Cham.) Nees.	Starthorn	OBL
<i>Hymenocallis caroliniana</i> (L.) Herb.	Carolina spiderlily	FACW
<i>H. eulae</i> Shinners	Eula spiderlily	OBL
<i>H. liriosme</i> (Raf.) Shinners	Spiderlily	OBL
<i>H. occidentalis</i> (Leconte) Kunth	Spiderlily	OBL
<i>Hypericum apocynifolium</i> Small	St. Johnswort	OBL
<i>H. cistifolium</i> Lam.	Rockrose-leaved St. Johnswort	FACW-
<i>H. densiflorum</i> Pursh	Dense St. Johnswort	FACW-
<i>H. fasciculatum</i> Lam.	Sandbush St. Johnswort	FACW+
<i>H. galiodoides</i> Lam.	Bedstraw St. Johnswort	OBL
<i>H. gurmannianum</i> Engelm. & Gray	Clasping-leaved St. Johnswort	FACW+
<i>H. rutilum</i> L.	Dwarf St. Johnswort	FACW+
<i>H. nudiiflorum</i> Michx.	Naked St. Johnswort	-
<i>H. punctatum</i> Lam.	Spotted St. Johnswort	FAC+
<i>H. setosum</i> L.	Hairy St. Johnswort	FACW+
<i>Hypoxis hirsuta</i> (L.) Coville	Star grass	FACW
<i>H. leptocarpa</i> (Engelm. & G.) Engelm. & G ex Small	Clubpod goldstar	FACW
<i>H. micrantha</i> Pollard	Bristleseed goldstar	FACW
<i>H. rigida</i> Chapm.	Fibrous goldstar	FACW
<i>Ilex alata</i> (Raf.) Shinners	Musky mint	OBL
<i>Ilex cassine</i> L.	Dahoon	FACW
<i>I. exriacea</i> (Pursh) Chapm.	Large gallberry	FACW
<i>I. decidua</i> Walter	Possomhaw holly	FACW-
<i>I. glabra</i> (L.) Gray	Inkberry	FACW
<i>I. longipes</i> Chapm.	Georgia holly	FACW
<i>I. myrtifolia</i> Walter	Myrtle dahoon	FACW
<i>Impatiens capensis</i> Meerb.	Spotted touch-me-not	FACW
<i>I. pallida</i> Nutt.	Pale touch-me-not	FACW

<i>Indigofera lindheimeriana</i> Scheele	Lindheimer indigo	FAC
<i>Iodanthus pinnatifidus</i> (Michx.) Steud.	Purple rocket	FACW-
<i>Ipomoea carnicola</i> Morong	Morningglory	FACW-
<i>I. coccinea</i> L.	Scarlet morningglory	FAC
<i>I. hederacea</i> (L.) Jacq.	Ivyleaf morningglory	FAC
<i>I. hederifolia</i> L.	Morningglory	FAC
<i>I. lacunosa</i> L.	Morningglory	FACW
<i>I. pes-caprae</i> (L.) R. Br.	Beach morningglory	FAC
<i>I. pubescens</i> Lam.	Pubescent morningglory	FAC
<i>I. sagittata</i> Poir.	Saltmarsh morningglory	FACW
<i>I. stolonifera</i> (Cyr.) Gmel.	Morningglory	FAC
<i>I. trichocarpa</i> Elliott	Seafoam morningglory	FAC
<i>I. violacea</i> L.	Violet morningglory	FACW-
<i>I. wrightii</i> Gray	Wright morningglory	FACW-
<i>Iresine rhizomatosa</i> Standl.	Rootstock bloodleaf	FACW
<i>Iris brevicaulis</i> Raf.	Shortstem iris	OBL
<i>I. fulva</i> Ker	Copper iris	OBL
<i>I. hexagona</i> Walter	Iris	OBL
<i>I. pseudacorus</i> L.	Yellow iris	OBL
<i>I. shrevei</i> Small	Shreve iris	OBL
<i>I. virginica</i> L.	Virginia iris	OBL
<i>Isoetes butleri</i> Engelm.	Butler's quillwort	OBL
<i>I. lithophylla</i> Pfeiffer	Rock quillwort	OBL
<i>I. melanopoda</i> Gay & Durieu.	Blackfoot quillwort	OBL
<i>Isotria verticillata</i> (Willd.) Raf.	Isotria	FAC
<i>Itea virginica</i> L.	Virginia sweetspire	OBL
<i>Iva annua</i> L.	Marsh elder	FAC DRA
<i>I. axillaris</i> Pursh	Poverty weed	FAC DRA
<i>I. frutescens</i> L.	Marsh elder	FACW
<i>I. imbricata</i> Walter	Dune sumpweed	FACW-
<i>I. xanthifolia</i> Nutt.	Marshelder	FAC+
<i>Juncus acuminatus</i> Michx.	Tapertip rush	OBL
<i>J. balticus</i> Willd.	Baltic rush	OBL
<i>J. biflorus</i> Elliott	Turnflower rush	FACW
<i>J. brachycarpus</i> Engelm.	Short-fuited rush	FACW
<i>J. bufonius</i> L.	Toad rush	OBL
<i>J. coriaceus</i> Mackenz.	Leathery rush	OBL
<i>J. dichotomus</i> Elliott	Forked rush	FACW
<i>J. diffusissimus</i> Buckl.	Diffuse rush	FACW
<i>J. effusus</i> L.	Soft rush	OBL
<i>J. ellottii</i> Chapm.	Bog rush	OBL
<i>J. filipendulus</i> Buckl.	Plain's rush	FAC
<i>J. interior</i> Wiegand	Inland rush	FAC
<i>J. marginatus</i> Rostk.	Shore rush	FACW
<i>J. megacephalus</i> M. A. Curtis	Largeheaded rush	OBL
<i>J. mexicanus</i> Willd.	Mexican rush	FACW
<i>J. nodatus</i> Cov.	Stout rush	OBL
<i>J. nodosus</i> L.	Knotted rush	OBL
<i>J. polyccephalus</i> Michx.	Many-headed rush	OBL
<i>J. repens</i> Michx.	Creeping rush	OBL
<i>J. roemerianus</i> Scheele	Black needlerush	OBL
<i>J. saximontanus</i> A. Nels.	Rocky Mountain rush	FACW
<i>J. scirtooides</i> Lam.	Needlepod rush	FACW
<i>J. secundus</i> Beauv.	Secund rush	FAC

<i>J. tenuis</i> Willd.	Poverty rush	FAC
<i>J. texanus</i> (Engelm.) Cov.	Texas rush	OBL
<i>J. torreyi</i> Cov.	Torrey's rush	FACW
<i>J. trigonocarpus</i> Steud.	Triangular-fruited rush	OBL
<i>J. validus</i> Cov.	Roundhead rush	FACW
<i>Juniperus silicicola</i> (Small) L. H. Bailey	Southern redcedar	FACW
<i>Justicia americana</i> (L.) Vahl	Waterwillow	OBL
<i>J. ovata</i> Walter	Waterwillow	OBL
<i>Kochia scoparia</i> (L.) Schrader	Summer cypress	?
<i>Kosteletzkyia althaeifolia</i> (Chapm.) Gray	Salt marsh-mallow	OBL
<i>K. virginica</i> (L.) Presl	Seashore-mallow	OBL
<i>Lachnocaulon anceps</i> (Walter) Morong	Hairy pipewort	OBL
<i>Lactuca canadensis</i> L.	Canada lettuce	FAC+
<i>L. floridana</i> (L.) Gaertn.	Florida lettuce	FAC+
<i>L. pulchella</i> (Pursh) DC.	Chicory lettuce	FAC
<i>L. serriola</i> L.	Prickly lettuce	FAC
<i>Lavatera canadensis</i> (L.) Wedd.	Canada woodnettle	FAC
<i>Lathyrus pusillus</i> Elliott	Low peavine	FAC+
<i>Leavenworthia aurea</i> Torr.	Leavenworthia	?
<i>Leersia hexandra</i> Swartz	Southern cutgrass	OBL
<i>L. lenticularis</i> Michx.	Catchfly grass	OBL
<i>L. monandra</i> Swartz	Bunch cutgrass	FACW
<i>L. oryzoides</i> (L.) Swartz	Rice cutgrass	OBL
<i>L. virginica</i> Willd.	Whitegrass	FACW
<i>Leitneria floridana</i> Chapm.	Florida corkwood	OBL
<i>Lemna gibba</i> L.	Swollen duckweed	OBL
<i>L. minima</i> Philippi	Least duckweed	OBL
<i>L. minor</i> L.	Common duckweed	OBL
<i>L. obscura</i> (Aust.) Daubs	Obscure duckweed	OBL
<i>L. perpusilla</i> Torr.	Minute duckweed	OBL
<i>L. trinervis</i> (Aust.) Small	Threennerved duckweed	OBL
<i>L. trisulca</i> L.	Star duckweed	OBL
<i>L. valdiviana</i> Philippi	Valdivia duckweed	OBL
<i>Lepidium densiflorum</i> Schrad.	Prairie pepperweed	FAC
<i>L. perfoliatum</i> L.	Claspingleaf pepperweed	FAC
<i>Leristochloa fascicularis</i> (Lam.) Gray	Bearded sprangletop	FACW
<i>L. filiformis</i> (Lam.) Beauv.	Red sprangletop	FACW
<i>L. nealleyi</i> Vasev	Nealley sprangletop	FACW
<i>L. panicoides</i> (Presl) Hitchc.	Amazon sprangletop	FACW
<i>L. uninervia</i> (Presl) Hitchc. & Chase	Mexican sprangletop	FACW
<i>Leuropetalon spathulatum</i> (Muhl.) Elliott	Lepuropetalon	FACW
<i>Leucospora multifida</i> (Michx.) Nutt.	Leucospora	FACW+
<i>Leucothoe racemosa</i> (L.) Gray	Swamp leucothoe	FACW
<i>Liatris acidota</i> Engelm. & Gray	Liatris	FAC+
<i>L. caeruleostachya</i> Michx.	Liatris	FAC+
<i>Lilium michauxii</i> Poir.	Carolina lily	FAC
<i>Limnanthes spargia</i> (Bosc.) Steud.	American frogbit	OBL
<i>Limnophila sessiliflora</i> (Vahl) Blume	Limnophila	OBL
<i>Limnosciadium pinnatum</i> (DC.) Math. & Const.	Feathery limnosciadium	?
<i>L. parvulum</i> (Engelm. & Gray) Math. & Const.	Limnosciadium	FACW+
<i>Limonium californicum</i> (Boiss.) Heller	California sealavender	OBL
<i>L. carolinianum</i> (Walter) Britton	Marsh rosemary	OBL
<i>L. lumbi</i> Small	Bordered sea-lavender	FACW+
<i>L. risticidifolium</i> Small	Sea-lavender	?

<i>Lindera benzoin</i> (L.) Blume	Spicebush	FACW-
<i>Lindernia anagallidea</i> (Michx.) Pennell.	Clasping falsepimpernel	OBL
<i>L. dubia</i> (L.) Pennell.	Yellowseed falsepimpernel	OBL
<i>Linum floridanum</i> (Planch) Trelease	Florida flax	FAC
<i>L. striatum</i> Walter	Flax	FACW+
<i>L. virginianum</i> L.	Virginia flax	FAC
<i>Liquidambar styraciflua</i> L.	Sweetgum	FAC
<i>Listera australis</i> Lindl.	Listera	FACW
<i>Lobelia berlandieri</i> A. DC.	Berlandier lobelia	FAC
<i>L. cardinalis</i> L.	Cardinal flower	FACW+
<i>L. cliffortiana</i> L.	Cliffort lobelia	FAC
<i>L. fenestrata</i> Cav.	Lobelia	FAC
<i>L. flaccidifolia</i> Small	Soft leaved lobelia	FACW+
<i>L. floridana</i> Chapm.	Florida lobelia	FACW+
<i>L. puberula</i> Michx.	Downy lobelia	FACW
<i>L. reverchonii</i> B. L. Turner	Reverchon lobelia	OBL
<i>L. siphilitica</i> L.	Great lobelia	OBL
<i>L. spicata</i> Lam.	Pale spike lobelia	FAC
<i>Sonicera japonica</i> Thunb.	Japanese honeysuckle	FAC
<i>S. utahensis</i> Wats.	Utah honeysuckle	FACW
<i>Lotus corniculatus</i> L.	Bird's-foot trefoil	FAC
<i>Ludwigia alternifolia</i> L.	Seed-box	OBL
<i>L. bonariensis</i> (Micheli) H. Hara	Golden waterprimrose	OBL
<i>L. decurrens</i> Walter	Primrose-willow	OBL
<i>L. glandulosa</i> Walter	Cylindric-fruited seed-box	OBL
<i>L. hirtella</i> Raf.	Spindle-root	OBL
<i>L. leptocarpa</i> (Nutt.) H. Hara	Anglestem waterprimrose	OBL
<i>L. linearis</i> Walter	Narrowleaf seed-box	OBL
<i>L. octovalvis</i> (Jacq.) Raven	Shrubby waterprimrose	OBL
<i>L. palustris</i> (L.) Elliott	Water purslane	OBL DRA
<i>L. peploides</i> (H.B.K.) Raven	Perennial waterprimrose	OBL
<i>L. pilosa</i> Walter	Hairy seed-box	OBL
<i>L. repens</i> J. Forst.	Marsh purslane	OBL
<i>L. sphaerocarpa</i> Elliott	Spherical-fruited seed-box	OBL
<i>L. uruguayensis</i> (Cambess.) H. Hara	Uruguay waterprimrose	OBL
<i>Luzula echinata</i> (Small) F. J. Herm.	Woodrush	FAC
<i>Lycium carolinianum</i> Walter	Carolina wolfberry	FACW
<i>Lycopodium alopecuroides</i> L.	Foxtail clubmoss	OBL
<i>L. carolinianum</i> L.	Carolina clubmoss	OBL
<i>L. inundatum</i> L.	Innundated clubmoss	OBL
<i>L. prostratum</i> R. M. Harper	Creeping foxtail clubmoss	OBL
<i>Lycopus americanus</i> Muhl.	Water horehound	OBL
<i>L. asper</i> Greene	Rough bugleweed	OBL
<i>L. rubellus</i> Moench	Waterhorehound	OBL
<i>L. uniflorus</i> Michx.	Oneflower bugleweed	OBL
<i>L. virginicus</i> L.	Bugleweed	OBL
<i>Lycopodium japonicum</i> (Thunb.) Swartz	Japanese climbing fern	FACW
<i>Lyonia ligustrina</i> (L.) DC.	Male-berry	FACW
<i>L. mariana</i> (L.) D. Don	Staggerbush	FAC
<i>Lysimachia lanceolata</i> Walter	Lanceleaf loosestrife	FAC
<i>L. radicans</i> Hook.	Creeping loosestrife	FACW+
<i>Lythrum alatum</i> Pursh	Winged lythrum	OBL
<i>L. californicum</i> Torr. & Gray	Common loosestrife	OBL
<i>L. lineare</i> L.	Saltmarsh loosestrife	?

<i>L. ovalifolium</i> Engelm.	Roundleaf loosestrife	FACW
<i>Machaeranthera boltoniae</i> (Greene) Turner & Horne	<i>Bolton machaeranthera</i>	FACW+
<i>M. phyllocephala</i> (DC.) Shinners	<i>Machaeranthera</i>	FACW
<i>Macrothelypteris torresiana</i> (Gaud.) Ching	<i>Macrothelypteis</i>	FACW-
<i>Magnolia tripetala</i> L.	<i>Umbrella magnolia</i>	FAC
<i>M. virginiana</i> L.	<i>Sweetbay</i>	OBL
<i>Malaris unifolia</i> Michx.	<i>Oneleaf addermouth orchid</i>	FAC
<i>Malvella leprosa</i> (Ortega) Krapov.	<i>Alkali sida</i>	FAC
<i>Marshallia caespitosa</i> Nutt.	<i>Marshallia</i>	FAC
<i>Marsilea macropoda</i> Engelm.	<i>Waterfern</i>	OBL
<i>M. mexicana</i> A. Braun	<i>Mexican waterfern</i>	OBL DRA
<i>M. tenuifolia</i> Engelm.	<i>Waterfern</i>	OBL
<i>M. uncinata</i> A. Braun	<i>Waterclover</i>	OBL
<i>M. vestita</i> Hook. & Grev.	<i>Hairy pepperwort</i>	OBL
<i>Marrubium vulgare</i> L.	<i>Horehound</i>	FACW-
<i>Mayaca aculeatii</i> Michaux	<i>Mayaca</i>	OBL
<i>Mecardonia acuminata</i> (Walter) Small	<i>Purple mcardonia</i>	FACW+
<i>M. vandelliooides</i> (H.B.K.) Pennell	<i>Prostrate mcardonia</i>	OBL
<i>Medicago lupulina</i> L.	<i>Black medic</i>	FAC
<i>Melanthium virginicum</i> L.	<i>Common bunchflower</i>	FACW+
<i>Melochia corchorifolia</i> L.	<i>Chocolate-weed</i>	FACW-
<i>Melothria pendula</i> L.	<i>Melothria</i>	FAC
<i>Mentha arvensis</i> L.	<i>Field mint</i>	FACW
<i>M. X piperita</i> L.	<i>Peppermint</i>	FACW+
<i>M. rotundifolia</i> (L.) Huds.	<i>Apple mint</i>	FAC
<i>M. spicata</i> L.	<i>Spearmint</i>	FACW
<i>Merremia dissecta</i> (Jacq.) Hallierf.	<i>Merremia</i>	FAC
<i>Micranthemum umbrosum</i> (Walter) Blake	<i>Shade mud-flower</i>	OBL
<i>Mikania scandens</i> (L.) Willd.	<i>Climbing hemp-weed</i>	FACW+
<i>Mimosa malacophylla</i> Gray	<i>Vine mimos</i>	FACW-
<i>M. pigra</i> L.	<i>Mimosa</i>	FAC
<i>M. strigillosa</i> Torr. & Gray	<i>Herbaceous mimos</i>	FAC
<i>Mimulus alatus</i> Ait.	<i>Sharp-winged monkeyflower</i>	OBL
<i>M. dentilobus</i> B. Rob. & Fernald	<i>Monkeyflower</i>	OBL
<i>M. glabratus</i> H.B.K.	<i>Yellow monkeyflower</i>	OBL
<i>M. ringens</i> L.	<i>Monkeyflower</i>	OBL
<i>M. rubellus</i> Gray	<i>Ciliolate-toothed monkeyflower</i>	FACW
<i>Miruaria patula</i> (Michx.) Matte.	<i>Sandwort</i>	FAC
<i>Mitchella repens</i> L.	<i>Partridgeberry</i>	FAC
<i>Modiola caroliniana</i> (L.) G. Don	<i>Carolina bristlymallow</i>	?
<i>Monanthochloe littoralis</i> Engelm.	<i>Saltflat-grass</i>	OBL
<i>Monarda fistulosa</i> L.	<i>Wildbergamot bee-balm</i>	FAC
<i>Monolepis nuttalliana</i> (Schult.) Greene	<i>Nuttall monolepis</i>	?
<i>Muhlenbergia asperifolia</i> (Nees. & Meyer) Parodi	<i>Alkali muhly</i>	FACW
<i>M. eludens</i> C. Reeder	<i>Muhly</i>	FAC
<i>M. expansa</i> (DC.) Trin.	<i>Cutover muhly</i>	FACW
<i>M. frondosa</i> (Poir.) Fernald	<i>Wirestem muhly</i>	FACW
<i>M. lindheimeri</i> A. Hitchc.	<i>Lindheimer muhly</i>	FACW-
<i>M. racemosa</i> (Michx.) B.S.P.	<i>Green muhly</i>	FACW
<i>M. reverchonii</i> Vasey & Scribn.	<i>Seep muhly</i>	FAC
<i>M. rigens</i> (Benth.) A. Hitchc.	<i>Deergrass</i>	?
<i>M. sylvatica</i> (Torr.) Torr.	<i>Forest muhly</i>	FACW-

<i>M. utilis</i> (Torr.) Hitchc.	Aparejograss	FACW+
<i>Murdannia nudiflora</i> (L.) Brenan	<i>Murdannia</i>	FACW-
<i>Myosotis macrosperma</i> Engelm.	White forget-me-not	FAC
<i>M. verma</i> Nutt.	Early scorpion-grass	FAC
<i>Myosurus minimus</i> L.	Tiny mousetail	FACW+
<i>Myrica cerifera</i> L.	Wax myrtle	FAC
<i>M. heterophylla</i> Raf.	Evergreen bayberry	FAC+
<i>M. pensylvanica</i> Loiseleur	Northern bayberry	FAC
<i>M. pusilla</i> Raf.	Dwarf waxmyrtle	FAC
<i>Myriophyllum brasiliense</i> Comb.	Brazilian watermilfoil	OBL
<i>M. heterophyllum</i> Michx.	Variableleaf watermilfoil	OBL
<i>M. pinnatum</i> (Walter) B.S.P.	Eastern watermilfoil	OBL
<i>Najas guadalupensis</i> (Spreng.) Magnus	Southern waternymph	OBL
<i>N. marina</i> L.	Holly-leaved waternymph	OBL
<i>Nama jamaicense</i> L.	Jamaica nama	FACW-
<i>N. stenocarpum</i> Gray	Nama	FACW
<i>N. torymophyllum</i> Greenm.	Nama	FACW
<i>Nasturtium officinale</i> R. Br.	Watercress	OBL
<i>Nelumbo lutea</i> (Willd.) Pers.	American lotus	OBL
<i>Nemophilla aphylla</i> (L.) Brummitt	Nemophilla	FAC
<i>Nepeta cataria</i> L.	Catnip	FAC
<i>Neptunia plena</i> (L.) Benth.	Neptunia	FACW
<i>N. pubescens</i> Benth.	Hairy neptunia	FAC+
<i>Nesaea longipes</i> Gray	Nesaea	FACW+
<i>Nicotiana glauca</i> Graham	Tree tobacco	FAC
<i>N. plumbaginifolia</i> Viviani	Wild tobacco	FAC
<i>N. repanda</i> Willd.	Wild tobacco	FAC
<i>Nuphar luteum</i> (L.) Sibth. & J. E. Smith	European cowlily	OBL
<i>Nymphaea elegans</i> Hook.	Blue waterlily	OBL
<i>N. mexicana</i> Zucc.	Banana waterlily	OBL
<i>N. odorata</i> Ait.	White waterlily	OBL
<i>N. tuberosa</i> Paine	White waterlily	OBL
<i>Nymphoides aquatica</i> (Walter) Kuntze	Big floatingheart	OBL
<i>N. peltata</i> (Gmel.) O. Ktze.	Floatingheart	OBL
<i>Nyssa aquatica</i> L.	Water tupelo	OBL
<i>N. sylvatica</i> Marshall	Black-gum	FAC
<i>Oenothera canescens</i> Torr. & Frem.	Spotted primrose	FAC DRA
<i>O. elata</i> H.B.K.	Hooker eveningprimrose	FACW
<i>O. jamesii</i> Torr. & Gray	Trumpet evening-primrose	FACW+
<i>O. kunthiana</i> (Spach) Munz	Kunth sundrops	FAC
<i>O. pilosella</i> Raf.	Sundrops	FAC
<i>O. rosea</i> L'Her. ex Ait.	Rose sundrops	FACW
<i>O. tetraptera</i> Cav.	Fourwing eveningprimrose	FAC+
<i>O. texensis</i> Raven & D. R. Parnell	Texas eveningprimrose	FACW
<i>O. villosa</i> Thunb.	Eveningprimrose	FAC
<i>Oldenlandia boscii</i> (DC.) Chapm.	Bosc oldenlandia	FACW
<i>O. corymbosa</i> L.	Oldenlandia	FAC
<i>O. uniflora</i> L.	One-flowered oldenlandia	FACW
<i>Onclea sensibilis</i> L.	Sensitive fern	FACW
<i>Ophioglossum nudicaule</i> L. f.	Adderstongue	FAC
<i>O. petiolatum</i> Hooker	Adderstongue	FAC+
<i>O. vulgatum</i> L.	Common adderstongue	FACW
<i>Oryctium rizaticum</i> L.	Goldenclub	OBL
<i>Oryza sativa</i> L.	Rice	OBL

<i>Osmorrhiza longistylis</i> (Torr.) DC.	Longstyle sweetroot	-
<i>Cosmonia cinnamomea</i> L.	Cinnamon fern	FACW
<i>O. regalis</i> L.	Royal fern	OBL
<i>Oxypolis filiformis</i> (Walter) Britton	Leafless cowbane	FACW
<i>O. rigidior</i> (L.) Raf.	Stiff cowbane	OBL
<i>Oxytropis lambertii</i> Pursh	Lambert crazyweed	?
<i>Panicum anceps</i> Muhl.	Beaked panicum	FAC+
<i>P. capillare</i> L.	Witchgrass	FAC
<i>P. dichotomiflorum</i> Michx.	Fall panicum	FACW
<i>P. diffusum</i> Swartz	Spreading panicum	FAC
<i>P. flexile</i> (Gatt.) Scribnier	Wiry witchgrass	FACW-
<i>P. hemitomon</i> Schult.	Maidencane	OBL
<i>P. longifolium</i> Torr.	Long-leaved panic-grass	OBL
<i>P. obtusum</i> H.B.K.	Vine-mesquite	FAC+
<i>P. pilcomayense</i> Hack.	Pilcomaya panic	FACW-
<i>P. repens</i> L.	Torpedograss	FAC+
<i>P. rigidulum</i> Bosc. ex Nees.	Redtop panicum	FACW
<i>P. tenerum</i> Beyr.	Bluejoint panicum	FACW-
<i>P. verrucosum</i> Muhl.	Warty panicum	FACW- DRA
<i>P. virgatum</i> L.	Switchgrass	FACW
<i>Parietaria pensylvanica</i> Muhl.	Pennsylvania pellitory	FAC
<i>Parkinsonia aculeata</i> L.	Jerusalem-thorn	FACW-
<i>Parnassia asarifolia</i> Ventenat	Brook parnassia	OBL
<i>P. grandifolia</i> DC.	Bigleaf grass-of-parnassus	OBL
<i>Parthenocissus quinquefolia</i> (L.) Planch.	Virginia creeper	FAC
<i>P. vitacea</i> (Knerr) A. Hitchc.	Grape parthenocissus	FAC
<i>Paspalidium geminatum</i> (Forssk.) Stapf	Water panicum	OBL
<i>Paspalum acuminatum</i> Raddi	Brook paspalum	OBL
<i>P. bifidum</i> (Bertol.) Nash	Pitchfork paspalum	FAC+
<i>P. boscianum</i> Fluegge	Bull paspalum	FACW-
<i>P. conjugatum</i> Berg.	Sour paspalum	FAC
<i>P. dilatatum</i> Poir.	Dallisgrass	FAC
<i>P. dissectum</i> (L.) L.	Mudbank paspalum	OBL
<i>P. distichum</i> L.	Knotgrass	FACW+
<i>P. floridanum</i> Michx.	Florida paspalum	FACW-
<i>P. fluitans</i> (Elliott) Kunth	Water paspalum	OBL
<i>P. hartwegianum</i> Fourn.	Hartweg paspalum	FACW+
<i>P. lieve</i> Michx.	Field paspalum	FACW-
<i>P. lividum</i> Trin.	Longtong	?
<i>P. monostachyum</i> Vasey	Gulfdune paspalum	FACW+
<i>P. notatum</i> Fluegge	Bahia grass	FAC
<i>P. plicatulum</i> Michx.	Brownseed paspalum	FAC
<i>P. praecox</i> Walter	Early paspalum	?
<i>P. pubiflorum</i> Rupr.	Hairyseed paspalum	FACW
<i>P. repens</i> Bergius	Water paspalum	OBL
<i>P. setaceum</i> Michx.	Thin paspalum	FAC
<i>P. urvillei</i> Steud.	Vaseygrass	FAC
<i>P. vaginatum</i> Swartz	Seashore paspalum	?
<i>P. virgatum</i> L.	Talquezal	FACW
<i>Pedicularis canadensis</i> L.	Early lousewort	FAC+
<i>Peltandra virginica</i> (L.) Kunth	Arrow-arum	OBL
<i>Penstemon digitalis</i> Nutt.	Talus slope penstemon	FACW-
<i>P. laxiflorus</i> Pennell	Penstemon	?
<i>P. sericeus</i> Small	Penstemon	FACW+

<i>Penthorum sedoides</i> L.	Ditch-stonecrop	OBL
<i>Pentodon pentandrus</i> (Schum. & Thonn.) Vatke	Pentodon	OBL
<i>Perilla frutescens</i> (L.) Britton	Perilla	FAC+
<i>Persea borbonia</i> (L.) Spreng.	Red bay	FACW
<i>Petunia parviflora</i> Juss.	Payette penstemon	FACW
<i>Phalaris angusta</i> Nees. ex Trin.	Timothy canarygrass	FACW+
<i>P. arundinacea</i> L.	Reed canarygrass	FACW+
<i>P. caroliniana</i> Walter	Carolina canarygrass	FACW
<i>Phanopyrum gymnocarpon</i> (Elliot) Nash	Phanopyrum	OBL
<i>Phlox erigeroides</i> (L.) R. Br.	Silverhead	FACW-
<i>Phlox glaberrima</i> L.	Smooth phlox	FAC
<i>P. pilosa</i> L.	Phlox	FAC
<i>Phragmites australis</i> (Cav.) Trin. ex Steud.	Giantcane	FACW
<i>Phyla cuneifolia</i> (Torr.) Greene	Frog-fruit	FAC
<i>P. incisa</i> Small	Frog-fruit	FAC
<i>P. lanceolata</i> (Michx.) Greene	Northern frog-fruit	FACW
<i>P. nodiflora</i> Michx.	Common frog-fruit	FACW
<i>P. strigulosa</i> (Mart. & Gal.)	Frog-fruit	FAC
<i>Phyllanthus caroliniensis</i> Walter	Carolina phyllanthus	FAC+
<i>P. pudens</i> L. C. Wheeler	Phyllanthus	FACW-
<i>Physalis ixocarpa</i> Brot.	Tomatillo	FAC
<i>Physostegia monogynus</i> (Torr.) Coulter	Mountain ninebark	FAC
<i>Physocarpus angustifolia</i> Fernald	Narrowleaf false dragonhead	FACW
<i>P. correllii</i> (Lundell) Shinners	Correll physostegia	OBL
<i>P. digitalis</i> Small	Physostegia	FACW-
<i>P. intermedia</i> (Nutt.) Gray	Physostegia	OBL
<i>P. praemorsa</i> Shinners	Physostegia	FACW
<i>P. pulchella</i> Lundell	Physostegia	FACW
<i>Phytolacca americana</i> L.	Common pokeberry	FAC
<i>Pilea pumila</i> (L.) Gray	Clearweed	FAC
<i>Pilularia americana</i> A. Braun	Pilularia	OBL
<i>Pinguicula pumila</i> Michx.	Small butterwort	OBL
<i>Pistia stratiotes</i> L.	Water lettuce	OBL
<i>Planera aquatica</i> Gmel.	Planertree	OBL
<i>Plantago elongata</i> Pursh	Slender plantain	FACW-
<i>P. heterophylla</i> Nutt.	Slender plantain	FACW- DRA
<i>P. insularis</i> Eastw.	Desert indianwheat	FAC
<i>P. lanceolata</i> L.	English plantain	FAC
<i>P. major</i> L.	Common plantain	FAC+
<i>P. pusilla</i> Nutt.	Slender plantain	FAC
<i>P. rugelii</i> Decne.	Rugel's plantain	FAC
<i>Platanthera blephariglottis</i> (Willd.) Lindl.	White fringed orchid	OBL
<i>P. × chapmanii</i> (Small) Luer	Chapman fringed orchid	FACW
<i>P. ciliaris</i> (L.) Lindl.	Yellow fringed orchid	FACW
<i>P. clavellata</i> (Michx.) Luer	Green rein-orchid	OBL
<i>P. cristata</i> (Michx.) Lindl.	Crested fringed orchid	OBL
<i>P. flexuosa</i> (L.) Lindl.	Tuberled orchid	FACW
<i>P. integra</i> (Nutt.) Gray ex Beck	Yellow fringeless orchid	OBL
<i>P. lucera</i> (Michx.) G. Don	Ragged fringed orchid	FACW
<i>P. leucophaea</i> (Nutt.) Lindl.	Prairie fringed orchid	OBL
<i>P. nivea</i> (Nutt.) Luer	Snowy orchid	FACW
<i>Platanus occidentalis</i> L.	American sycamore	FAC+
<i>Pluchea corymbosa</i> (L.) DC.	Salt-marsh fleabane	FACW-
<i>P. foetida</i> (L.) DC.	Stinking-fleabane	FACW+

<i>P. purpurascens</i> (Swartz) DC.	Saltmarsh pluchea	OBL
<i>P. rosea</i> Godfrey	Rose pluchea	FACW
<i>Poa annua</i> L.	Annual bluegrass	FAC
<i>P. sylvestris</i> Gray	Woodland bluegrass	FAC
<i>Podostemum ceratophyllum</i> Michx.	Hornleaf riverweed	OBL
<i>Pogonia ophioglossoides</i> (L.) Ker	Rose pogonia	OBL
<i>Polemonium pauciflorum</i> Wats.	Mexican polemonium	FACW-
<i>P. reptans</i> L.	Creeping polemonium	?
<i>Polygala cruciata</i> L.	Cross-leaved milkwort	OBL
<i>P. hookeri</i> Torr. & Gray	Hooker's milkwort	FACW
<i>P. leptocaulis</i> Torr. & Gray	Swamp milkwort	FACW+
<i>P. mariana</i> Mill.	Maryland milkwort	FACW
<i>P. nana</i> (Michx.) DC.	Bachelor's-button	FAC+
<i>P. ramosa</i> Elliott	Low pinebarren milkwort	OBL
<i>P. sanguinea</i> L.	Purple milkwort	?
<i>Polygonatum commutatum</i> (J. A. & J. H. Schultes) A. Dietr.	Great solomonseal	FAC
<i>Polygonum amphibium</i> L.	Water knotweed	OBL
<i>P. argyrocoleon</i> Steud.	Persian wireweed	OBL
<i>P. aviculare</i> L.	Prostrate knotweed	FAC+
<i>P. convolvulus</i> L.	Black bindweed	FAC
<i>P. densiflorum</i> Meissn.	Southern smartweed	OBL
<i>P. erectum</i> L.	Erect knotweed	?
<i>P. hydropiper</i> L.	Marshpepper knotweed	OBL
<i>P. hydropiperoides</i> Michx.	Swamp knotweed	OBL
<i>P. lapathifolium</i> L.	Smartweed	FACW-
<i>P. orientale</i> L.	Princesthumb knotweed	FACW
<i>P. pensylvanicum</i> L.	Pennsylvania smartweed	FACW-
<i>P. persicaria</i> L.	Ladysthumb smartweed	FACW+
<i>P. punctatum</i> Elliott	Dotted smartweed	FACW
<i>P. ramosissimum</i> Michx.	Bushy knotweed	FACW
<i>P. sagittatum</i> L.	Arrow-leaved tearthumb	OBL
<i>P. scandens</i> L.	Hedge cornbind	FACW
<i>P. setaceum</i> Baldw.	Bristly smartweed	OBL
<i>P. texense</i> M. Johnston	Texas smartweed	FACW-
<i>P. virginianum</i> L.	Virginia smartweed	FAC
<i>Polygonum intermedium</i> H.B.K.	Ditch polypogon	OBL
<i>P. transpeltense</i> (L.) Desf.	Rabbitfootgrass	FACW+ DRA
<i>Pontederia cordata</i> L.	Pickerelweed	OBL
<i>Ponthieva racemosa</i> (Walter) Mohr	Ponthieva	FACW
<i>Porulius acuminata</i> Rydb.	Smooth-barked cottonwood	FAC+
<i>P. angustifolia</i> E. James	Narrowleaf cottonwood	FACW
<i>P. deltoides</i> W. Bartram ex Marshall	Eastern cottonwood	FAC
<i>P. fremontii</i> S. Wats.	Fremont cottonwood	FACW-
<i>Portulaca oleracea</i> L.	Common purslane	FAC
<i>Potamogeton clystocarpus</i> Fernald	Pondweed	OBL
<i>P. crispus</i> L.	Curly pondweed	OBL
<i>P. diversifolius</i> Raf.	Waterthread pondweed	OBL
<i>P. foliosus</i> Raf.	Leafy pondweed	OBL
<i>P. illinoensis</i> Morong	Illinois pondweed	OBL
<i>P. natans</i> L.	Floatingleaf pondweed	OBL
<i>P. nodosus</i> Poir.	Longleaf pondweed	OBL
<i>P. pectinatus</i> L.	Sago pondweed	OBL

<i>P. pulcher</i> Tuckerm.	Heartleaf pondweed	OBL
<i>P. pusillus</i> L.	Baby pondweed	OBL
<i>Potentilla millegrana</i> Engelm. ex Lehm.	Diffuse cinquefoil	FACW DRA
<i>P. norvegica</i> L.	Rough cinquefoil	FAC
<i>P. parodoxa</i> Nutt.	Bushy cinquefoil	FACW+
<i>P. pentandra</i> Engelm.	Five-stamened cinquefoil	FACW
<i>P. rivalis</i> Nutt.	Brook cinquefoil	FACW+
<i>Prionopsis ciliata</i> (Nutt.) Nutt.	Prionopsis	FAC
<i>Proserpinaca palustris</i> L.	Marsh mermaid weed	OBL
<i>P. pectinata</i> Lam.	Cutleaf mermaid weed	OBL
<i>Prosopis pubescens</i> Benth.	Screwbean mesquite	FAC+
<i>Prunella vulgaris</i> L.	Common selfheal	FAC
<i>Psilocarya nitens</i> (Vahl) Wood	Short-beaked bald rush	OBL
<i>Psilotum nudum</i> (L.) Beauvois	Psilotum	FACW+
<i>Ptelea trifoliata</i> L.	Common hoptree	FAC
<i>Pterocaulon virgatum</i> (L.) DC.	Pterocaulon	FAC
<i>Ptilimium capillaceum</i> (Michx.) Raf.	Mock-bishopweed	FACW
<i>P. costatum</i> (Elliott) Raf.	Ribbed mock-bishopweed	OBL
<i>P. nuttallii</i> (DC.) Britton	Nuttall mock-bishopweed	FACW
<i>Pyranthemum albescens</i> T. & G.	Pyranthemum	FAC
<i>P. flexuosum</i> (Walter) B.S.P.	Basil	FAC
<i>P. tenuifolium</i> Schrad.	Pyranthemum	FAC
<i>Quercus X beadlei</i> Trelease	Beadle oak	FACW-
<i>Q. bicolor</i> Willd.	Swamp white oak	FACW+
<i>Q. imbricaria</i> Michx.	Shingle oak	FAC
<i>Q. laurifolia</i> Michx.	Laurel oak	FACW
<i>Q. lyrata</i> Walter	Overcup oak	OBL
<i>Q. michauxii</i> Nutt.	Swamp chestnut oak	FACW
<i>Q. nigra</i> L.	Water oak	FAC+
<i>Q. nuttallii</i> Palmer	Nuttall oak	FACW
<i>Q. palustris</i> Muench.	Pin oak	FAC
<i>Q. phellos</i> L.	Willow oak	FACW
<i>Q. prinus</i> L.	Chestnut oak	?
<i>Q. shumardii</i> Buckley	Shumard oak	FAC
<i>Q. stellata</i> Wangenh.	Post oak	?
<i>Ranunculus abortivus</i> L.	Subalpine buttercup	FAC+
<i>R. carolinianus</i> DC.	Swamp buttercup	FACW
<i>R. cymbalaria</i> Pursh	Alkali buttercup	OBL
<i>R. fascicularis</i> Muhl. ex Benth.	Tufted buttercup	FAC
<i>R. flabellaris</i> Raf.	Yellow-watercrowfoot	OBL
<i>R. hispidus</i> Michx.	Bristly buttercup	FAC
<i>R. laticaulis</i> (Torr. & Gray) Darby	Spearwort	OBL
<i>R. longirostris</i> Godr.	White watercrowfoot	OBL
<i>R. macranthus</i> Scheele	Large buttercup	FACW+
<i>R. muricatus</i> L.	Spiny buttercup	FACW-
<i>R. parviflorus</i> L.	Sticktight buttercup	FAC
<i>R. platenensis</i> Spreng.	Buttercup	FACW
<i>R. pusillus</i> Poir.	Dwarf buttercup	OBL
<i>R. recurvatus</i> Poir.	Hooked buttercup	FACW+
<i>R. repens</i> L.	Creeping buttercup	FACW+
<i>R. sceleratus</i> L.	Celeryleaf buttercup	OBL
<i>R. septentrionalis</i> Poir.	Swamp buttercup	OBL
<i>Rhexia lutea</i> Walter	Yellow meadowbeauty	FACW+
<i>R. mariana</i> L.	Meadow beauty	FACW+

<i>P. petiolata</i> Walter	Ciliate meadowbeauty	FACW
<i>R. virginica</i> L.	Meadow beauty	OBL
<i>Rhododendron canescens</i> (Michx.) Sweet	Piedmont azalea	FACW-
<i>R. coryi</i> Shinners	Cory rhododendron	FACW
<i>R. oblongifolium</i> (Small) Mill.	Rhododendron	FACW+
<i>R. periclymenoides</i> (Michx.) Shinners	Rhododendron	FAC
<i>R. prinophyllum</i> (Small) Millais	Rhododendron	FAC+
<i>R. viscosum</i> (L.) Torr.	Swamp azalea	FACW+
<i>Rhynchospora alba</i> (L.) Vahl	White beakrush	OBL
<i>R. caduca</i> Elliott	Bald beakrush	OBL
<i>R. capillacea</i> Torr.	Capillary beakrush	OBL
<i>R. capitellata</i> (Michx.) Vahl	False bog rush	OBL
<i>R. cephalantha</i> Gray	Capitate beaked rush	OBL
<i>R. corniculata</i> (Lam.) Gray	Horned rush	OBL
<i>R. divergens</i> M. A. Curtis	Spreading beakrush	OBL
<i>R. elliottii</i> A. Dietr.	Elliott's beakrush	FACW
<i>R. fascicularis</i> (Michx.) Vahl	Stout beak rush	OBL
<i>R. filifolia</i> Gray	Bristle-leaved beakrush	FAC
<i>R. globularis</i> (Chapm.) Small	Pinehill beakrush	FACW
<i>R. glomerata</i> (L.) Vahl	Clustered beakrush	OBL
<i>R. gracilenta</i> Gray	Slender beakrush	OBL
<i>R. grayi</i> Kunth	Gray's beakrush	FAC+
<i>R. harveyi</i> W. Boott.	Harvey's beakrush	FAC+
<i>R. indianolaensis</i> Small	Indianola beakrush	FACW+
<i>R. inexpectata</i> (Michx.) Vahl	Nodding beakrush	FACW
<i>R. macrocarpa</i> (C. B. Clarke) Small	Large beakrush	OBL
<i>R. macrostachya</i> Torr.	Horned rush	OBL DRA
<i>R. microcarpa</i> Baldw. ex Gray	Littleseed beakrush	FACW+
<i>R. mixta</i> Britton	Mingled beakrush	OBL
<i>R. oligantha</i> Gray	Few-flowered beakrush	OBL
<i>R. perplexa</i> Britton	Beakrush	OBL
<i>R. plumosa</i> Elliott	Plumed beakrush	FACW
<i>R. pusilla</i> Chapm. ex M. A. Curtis	Little beakrush	FACW+
<i>R. rariflora</i> (Michx.) Elliott	Thread beakrush	OBL
<i>Rorippa palustris</i> (L.) Besser	Marsh yellowcress	OBL DRA
<i>R. ramosa</i> Rollins	Cress	FACW-
<i>R. sessiliflora</i> (Nutt.) A. Hitchc.	Sessile-flowered cress	OBL DRA
<i>R. sinuata</i> (Nutt.) A. Hitchc.	Spreading yellowcreas	FACW-
<i>R. sphaerocarpa</i> (Gray) Britton	Round-fruited cress	OBL
<i>R. teres</i> (Michx.) Stuckey	Marsh cress	OBL
<i>Rotala ramosior</i> (L.) Koehne	Tooth-cup	OBL
<i>Rubus louisianus</i> Berger	Louisiana blackberry	FACW-
<i>R. oklahomensis</i> L. H. Bailey	Oklahoma blackberry	FAC
<i>R. trivialis</i> Michx.	Southern dewberry	FAC
<i>Rudbeckia laciniata</i> L.	Cutleaf coneflower	FAC+
<i>R. maxima</i> Nutt.	Great coneflower	FAC+
<i>Ruellia malacosperma</i> Greene	Softseed ruellia	FACW-
<i>R. strepera</i> L.	Ruellia	FAC
<i>Rumex acetosella</i> L.	Sheep sorrel	FACW-
<i>R. altissimus</i> Wood	Pale dock	FACW+
<i>R. chrysocarpus</i> Morris	Goldenseeded dock	FACW
<i>R. crispus</i> L.	Curled dock	FACW
<i>R. maritimus</i> L.	Golden dock	FACW-
<i>R. obtusifolius</i> L.	Bitter dock	FACW-

<i>R. pulcher</i> L.	Fiddle dock	FACW-
<i>R. salicifolius</i> Weinm.	Willow dock	OBL
<i>R. spiralis</i> Small	Spiralled dock	FACW-
<i>R. verticillatus</i> L.	Swamp dock	FACW+
<i>R. violascens</i> Rech. f.	Violet dock	FACW-
<i>Ruppia maritima</i> L.	Widgeongrass	OBL
<i>Sabal minor</i> (Jacq.) Pers.	Dwarf palmetto	FACW
<i>Sabatia angularis</i> (L.) Pursh	Angled rose-gentian	FAC
<i>S. arenicola</i> Greenm.	Sand rose-gentian	FACW-
<i>S. calycina</i> (Lam.) Heller.	Coast rose-gentian	FACW+
<i>S. dodecandra</i> (L.) B.S.P.	Big sea-pink	OBL
<i>S. gentianoides</i> Elliott	Rose-gentian	FACW+
<i>Sacciolepis striata</i> (L.) Nash	American cupscale	OBL
<i>Sagina decumbens</i> (Elliott) T. & G.	Trailing pearlwort	FACW
<i>Sagittaria ambiguua</i> J. G. Smith	Arrowhead	OBL
<i>S. brevirostra</i> Mackenz. & Bush	Shortbeaked arrowhead	OBL
<i>S. calycina</i> Engelm.	Hooded arrowhead	OBL
<i>S. cuneata</i> Sheld.	Northern arrowhead	OBL
<i>S. engelmanniana</i> J. G. Smith	Engelmann arrowhead	OBL
<i>S. falcata</i> Pursh	Coastal arrowhead	OBL
<i>S. graminea</i> Michx.	Grassy arrowhead	OBL
<i>S. lancifolia</i> L.	Bulltongue	OBL
<i>S. latifolia</i> Willd.	Broadleaf arrowhead	OBL
<i>S. longiloba</i> Engelm.	Long-barb arrowhead	OBL
<i>S. montevidensis</i> Cham. & Schlecht.	Hooded arrowhead	OBL
<i>S. papillosa</i> Buchenau	Arrowhead	OBL
<i>S. platyphylla</i> (Engelm.) J. G. Smith	Delta duckpotato	OBL
<i>Salicornia bigelovii</i> Torr.	Bigelow glasswort	?
<i>S. virginica</i> L.	Virginia swampfire	?
<i>Salix amygdaloides</i> Anderss.	Peachleaf willow	FACW
<i>S. babylonica</i> L.	Weeping willow	FACW-
<i>S. caroliniana</i> Michx.	Coastal plain willow	FACW+
<i>S. eriocephala</i> Michx.	Heart-leaved willow	FACW
<i>S. exigua</i> Nutt.	Sandbar willow	FACW+
<i>S. gooddingii</i> Ball	Goodding willow	FACW+
<i>S. humboldtiana</i> Willd.	Humboldt willow	FACW+
<i>S. irrorata</i> Anderss.	Bluestem willow	FACW
<i>S. lasiolepis</i> Benth.	Arroyo willow	FACW
<i>S. myrtillifolia</i> Anderss.	Myrtleleaf willow	FACW+
<i>S. nigra</i> Marshall	Black willow	?
<i>S. petiolaris</i> J. E. Smith	Meadow willow	OBL
<i>S. taxifolia</i> H.B.K.	Yewleaf willow	FAC+
<i>Salvia lyrata</i> L.	Salvia	FAC
<i>S. penstemonoides</i> Kunth & Bouche	Big red sage	FACW+
<i>Sambucus canadensis</i> L.	Common elder	FAC+
<i>S. mexicana</i> K. Presl ex DC.	Mexican elder	FAC
<i>Sanctolus cuneatus</i> Small	Waterpimpernel	FACW+
<i>S. ebracteatus</i> H.B.K.	Waterpimpernel	?
<i>S. parviflorus</i> Raf.	Waterpimpernel	?
<i>Sanicula gregaria</i> Bickn.	Sanicula	FAC
<i>Sarracenia alata</i> Wood	Yellow trumpets	OBL
<i>Satureja brownii</i> (Swartz) Brigg.	Browne satureja	OBL
<i>Saururus cernuus</i> L.	Lizard's tail	OBL
<i>Saxifraga texana</i> Buckl.	Texas saxifrage	FACW

<i>S. virginiensis</i> Michx.	<i>Virginia saxifrage</i>	FAC
<i>Scaevola plumieri</i> (L.) Vahl	Half eaten flower	FAC
<i>Schoenolirion croceum</i> (Michx.) Gray	<i>Schoenolirion</i>	OBL
<i>S. texanum</i> (Scheele) Gray	<i>Texas schoenolirion</i>	FACW+
<i>Schoenus nigricans</i> L.	Black sedge	OBL
<i>Scirpus acutus</i> Muhl. ex Bigel.	Hardstem bulrush	OBL
<i>S. americanus</i> Pers.	American bulrush	OBL
<i>S. atrovirens</i> Willd.	Green bulrush	OBL
<i>S. californicus</i> (C. A. Meyer) Steud.	California bulrush	OBL
<i>S. cubensis</i> Poepp. & Kunth	Cuban bulrush	OBL
<i>S. cyperinus</i> (L.) Kunth	Wool-grass	OBL
<i>S. erectus</i> Poir.	Sharp-scale bulrush	OBL
<i>S. etuberculatus</i> (Steud.) Kuntze	Swamp bulrush	OBL
<i>S. georgianus</i> R. M. Harper	Black bulrush	OBL
<i>S. hallii</i> Gray	Halls bulrush	OBL
<i>S. heterochaetus</i> Chase	Slender bulrush	OBL
<i>S. molestus</i> M. Johnst.	Bulrush	OBL
<i>S. pallidus</i> (Britton) Fernald	Pale bulrush	OBL
<i>S. pendulus</i> Muhl.	Reddish bulrush	OBL
<i>S. pungens</i> Vahl	Three-square	OBL
<i>S. robustus</i> Pursh	Saltmarsh bulrush	OBL
<i>S. saximontanus</i> Fernald	Rocky Mountain bulrush	OBL
<i>S. validus</i> Vahl	Softstem bulrush	OBL
<i>Scleria baldwinii</i> (Torrey) Steudel	Baldwin razorsedge	FACW+
<i>S. ciliaria</i> Michx.	Fringed razorsedge	FAC
<i>S. georgiana</i> Core	Georgia nut rush	FACW+
<i>S. minor</i> (Britton) W. Stone	Slender nut rush	FACW-
<i>S. oligantha</i> Michx.	Littlehead razorsedge	FAC
<i>S. pauciflora</i> Muhl.	Few flower razorsedge	FACW
<i>S. reticularis</i> Michx.	Netted razorsedge	OBL
<i>S. setacea</i> Poir.	Torrey's nut rush	FAC
<i>S. trilobata</i> Michx.	Whip-grass	FAC
<i>S. verticillata</i> Muhl.	Low nut-grass	OBL
<i>Scutellaria cardiophylla</i> Engelm. & Gray	Heartleaf skullcap	FAC
<i>S. galericulata</i> L.	Common skullcap	FACW+
<i>S. integrifolia</i> L.	Rough skullcap	FACW-
<i>S. lateriflora</i> L.	Blue skullcap	FACW+
<i>Sebastiania fruticosa</i> (Bartr.) Fernald	Sebastiania	FAC
<i>Sedum pulchellum</i> Michx.	Sedum	?
<i>Selaginella apoda</i> (L.) Spring	Basket selaginella	FACW-
<i>Selenia dissecta</i> Torr.	Texas selenia	FACW+ DRA
<i>S. grandis</i> Martin	Large selenia	FACW+
<i>S. jonesii</i> Cory	Jones selenia	FACW
<i>Senecio glabellus</i> Poir.	Butterweed	FACW
<i>Sesbania drummondii</i> (Rydb.) Cory	Rattlebox	FACW
<i>S. exaltata</i> (Raf.) Rydb.	Wild-coffee	FACW-
<i>S. punicea</i> (Cav.) Benth.	Bladderpod	FACW-
<i>S. vesicaria</i> (Jacq.) Elliott	Bladderpod	FAC+
<i>Sesuvium erectum</i> Correll	Erect sea purslane	FACW
<i>S. maritimum</i> (Walter) B.S.P.	Sea purslane	FACW
<i>S. portulacastrum</i> (L.) L.	Sea purslane	FACW
<i>S. sessile</i> Pers.	Lowland purslane	FACW
<i>S. trianthemoides</i> Correll	Texas sea-purslane	?
<i>S. verrucosum</i> Raf.	Sea-purslane	FACW-

<i>Setaria geniculata</i> (Lam.) Beauv.	Knotroot bristlegrass	FAC
<i>S. glauca</i> (L.) Beauv.	Yellow foxtail	FAC
<i>S. magna</i> Griseb.	Giant bristlegrass	FACW
<i>S. verticillata</i> (L.) Beauv.	Bur bristlegrass	FAC
<i>Shinnersia rivularis</i> (Gray) R. M. King & H. Rob.	Shinnersia	OBL
<i>Sicyos angulatus</i> L.	Common burcucumber	FACW-
<i>Sidalcea neomexicana</i> Gray	New mexico checkermallow	FACW
<i>Sisyrinchium angustifolium</i> Mill.	Common blue-eyed grass	FACW-
<i>S. atlanticum</i> Bicknell	Atlantic blue-eyed grass	FACW
<i>S. biforme</i> Bicknell	Wiry blue-eyed grass	FACW-
<i>S. demissum</i> Greene	Stiff blue-eyed grass	OBL
<i>S. dimorphum</i> R. Oliv.	Blue-eyed grass	FAC+
<i>S. exile</i> Bicknell	Yellow blue-eyed grass	FACW
<i>S. idahoense</i> Bicknell	Idaho blue-eyed grass	OBL
<i>S. montanum</i> Greene	Colorado blue-eyed grass	FAC+
<i>S. rosulatum</i> Bicknell	Annual blue-eyed grass	FAC
<i>S. sagittiferum</i> Bicknell	Spear-bract blue-eyed grass	FACW+
<i>Smilax bona-nox</i> L.	Saw greenbriar	FAC
<i>S. herbacea</i> L.	Carrion flower	FAC
<i>S. hispida</i> Muhl.	Bristly greenbriar	FAC
<i>S. laurifolia</i> L.	Bamboo-vine	OBL
<i>S. pseudochina</i> L.	Greenbriar	FAC
<i>S. rotundifolia</i> L.	Common greenbriar	FAC
<i>S. tamnooides</i> L.	China-root	FACW
<i>S. walteri</i> Pursh	Walter's greenbriar	?
<i>Solidago gigantea</i> Ait.	Late goldenrod	FAC
<i>S. rugosa</i> Mill.	Wrinkled goldenrod	FAC
<i>S. salicina</i> Elliott	Willow goldenrod	FACW
<i>S. sempervirens</i> L.	Seaside goldenrod	FACW-
<i>S. stricta</i> Ait.	Willowleaf goldenrod	FACW-
<i>Sorghastrum nutans</i> (L.) Nash	Sorghastrum	-
<i>Sparganium americanum</i> Nutt.	Eastern burreed	OBL
<i>S. androcladum</i> (Engelm.) Morong	Branching bur-reed	OBL
<i>Spartina alterniflora</i> Loiseleur	Smooth cordgrass	OBL
<i>S. bakeri</i> Merr.	Sand cordgrass	OBL
<i>S. cynosuroides</i> (L.) Roth.	Big cordgrass	OBL
<i>S. patens</i> (Ait.) Muhl.	Marshhay cordgrass	FACW
<i>S. pectinata</i> Link	Prairie cordgrass	FACW+
<i>S. spartinae</i> (Trin.) Merr.	Gulf cordgrass	FACW+
<i>Spergularia echinisperma</i> (Celak.) Celak.	Sandspurry	?
<i>S. marina</i> (L.) Griseb.	Saltmarsh sandspurry	?
<i>S. platensis</i> (Camb.) Fenzl.	Sandspurry	FACW+
<i>S. rubra</i> (L.) J. & C. Presl	Red sandspurry	FAC
<i>Spermatoce glabra</i> Michx.	Smooth buttonweed	FACW
<i>S. tenuior</i> (L.) Lam.	Buttonweed	FACW
<i>Spermolepis divaricata</i> (Walter) Britton	Spermolepis	FACW
<i>Sphaeromeria salsula</i> (Pallas) DC.	Sphaeromeria	-
<i>Sphenoclea zeylanica</i> Gaertn.	Gooseweed	OBL
<i>Spheropholis filiformis</i> (Chapm.) Scribn.	Longleaf wedgescale	FACW+
<i>S. obtusata</i> (Michx.) Scribn.	Prairie wedgegrass	FACW+
<i>Spiranthes cernua</i> (L.) Rich	Nodding ladiestresses	FACW+
<i>S. lacera</i> (Raf.) Raf.	Ladiestresses	FAC
<i>S. laciniata</i> (Small) Ames	Ladiestresses	OBL

<i>S. longilabris</i> Lindl.	Ladiestresses	FACW
<i>S. praecox</i> (Walter) Wats.	Southern ladiestresses	FACW
<i>S. vernalis</i> Engelm. & Gray	Upland ladiestresses	FACW-
<i>Spirodela oligorrhiza</i> (Kurz) Hegelm.	Greater duckweed	OBL
<i>S. polyrhiza</i> (L.) Schleiden	Greater duckweed	OBL
<i>Sporobolus airoides</i> (Torr.) Torr.	Alkali sacaton	FAC
<i>S. pyramidatus</i> (Lam.) Hitchc.	Whorled dropseed	FAC
<i>S. texanus</i> Vasey	Texas dropseed	FAC
<i>S. virginicus</i> (L.) Kunth	Seashore dropseed	FACW+
<i>Stachys agraria</i> Cham. & Schlecht.	Shade betony	FAC
<i>S. floridana</i> Shuttlew.	Florida betony	FAC
<i>S. tenuifolia</i> Willd.	Hedge-nettle	FACW
<i>Staphylea trifolia</i> L.	American bladdernut	FAC
<i>Steinchisma hians</i> (Elliott) Nash	Steinchisma	FACW-
<i>Stellaria crassifolia</i> Ehrh.	Weakstem starwort	FACW
<i>Stenanthium gramineum</i> (Ker) Morong	Grassleaf stenanthium	FAC
<i>Stenotaphrum secundatum</i> (Walter) Kuntze	Common St. Augustine grass	FAC+
<i>Stylisma aquatica</i> (Walter) Raf.	Aquatic stylisma	FACW-
<i>Styrax americana</i> Lam.	American snowbell	FACW-
<i>S. platanifolia</i> Engelm.	Sycamore-leaf snowbell	FAC+
<i>Suaeda conferta</i> (Small) I. Johnston	Seepweed	OBL
<i>S. depressa</i> (Pursh.) Wats.	Pursh seepweed	FACW-
<i>S. linearis</i> (Elliott) Moq.	Annual seepweed	OBL
<i>S. mexicana</i> (Standl.) Standl.	Mexican seepweed	FACW-
<i>S. nigrescens</i> I. M. Johnst.	Smooth seepweed	OBL
<i>S. torreyana</i> S. Wats.	Torrey seepweed	FACW-DRA
<i>Symplocos tinctoria</i> (L.) L'Her.	Sweetleaf	FAC+
<i>Tamarix africana</i> Poir.	African tamarisk	FACW
<i>T. aphylla</i> (L.) Karst.	Athel tamarisk	FACW
<i>T. chinensis</i> Loureiro	Chinese tamarisk	FACW
<i>T. gallica</i> L.	French tamarisk	FACW-
<i>T. parviflora</i> DC.	Smallflower tamarisk	FACW
<i>T. ramosissima</i> Ledeb.	Saltcedar	FACW
<i>Tauschia texana</i> Gray	Texas tauschia	FACW-
<i>Taxodium distichum</i> (L.) Rich	Common baldcypress	OBL
<i>T. mucronatum</i> Ten.	Montezuma baldcypress	OBL
<i>Teucrium canadense</i> L.	Canada germander	FACW-
<i>T. cubense</i> Jacq.	Germander	FAC+
<i>Thalassia testudinum</i> K. D. Koenig	Turtlegrass	OBL
<i>Thalia dealbata</i> Rosc.	Powdery thalia	OBL
<i>Thalictrum dasycarpum</i> Fisch. & Ave-Lall.	Daisyseed meadowrue	FACW-
<i>Thelypteris dentata</i> (Forsk.) E. St. John	Toothed thelypteris	FAC
<i>T. hexagonoptera</i> (Michx.) Weatherby	Thelypteris	FAC
<i>T. hispidula</i> (Decne) Reed	Thelypteris	-
<i>T. kunthii</i> (Desv.) Morton	Kunth thelypteris	FAC
<i>T. ovata</i> R. St. John	Thelypteris	FACW
<i>T. thelypteroides</i> (Michx.) J. Holub	Thelypteris	OBL
<i>Tiquilia discolor</i> (Pursh) Nutt.	Cranefly orchid	FAC
<i>Tofieldia racemosa</i> (Walter) B.S.P.	Sticky tofieldia	OBL
<i>Toxicodendron radicans</i> (L.) O. Kuntze	Poison-ivy	FAC
<i>T. rydbergii</i> (Small ex Rydb.) Greene	Rydberg's poison ivy	FAC
<i>T. vernix</i> (L.) Kuntze	Poison-sumac	?
<i>Trachelospermum difforme</i> (Walter) Gray	Starjasmine	FACW
<i>Tradescantia ohiensis</i> Raf.	Ohio spiderwort	FACW

<i>T. wrightii</i> Rose & Bush	<i>Wright spiderwort</i>	FACW
<i>Trepocarpus aethusae</i> Nutt.	<i>Trepocarpus</i>	FACW
<i>Triadenum tubulosum</i> (Walter) Gleason	<i>St. Johnswort</i>	?
<i>T. virginicum</i> (L.) Raf.	<i>Marsh St. Johnswort</i>	OBL
<i>T. walteri</i> (Gmel.) Gleason	<i>Marsh St. Johnswort</i>	OBL
<i>Trianthema portulacastrum</i> L.	<i>Desert horsepurslane</i>	FACW-
<i>Trichocoronis wrightii</i> (T. & G.) Gray	<i>Wright trichocoronis</i>	?
<i>Triglochin maritimum</i> L.	<i>Seaside arrow-grass</i>	OBL
<i>Trillium texanum</i> Buckl.	<i>Texas trillium</i>	FAC
<i>Tripsacum dactyloides</i> (L.) L.	<i>Eastern gamagrass</i>	FAC+
<i>Typha angustifolia</i> L.	<i>Narrow-leaved cattail</i>	OBL
<i>T. domingensis</i> Pers.	<i>Southern cattail</i>	OBL
<i>T. latifolia</i> L.	<i>Common cattail</i>	OBL
<i>Ulmus americana</i> L.	<i>American elm</i>	FAC
<i>U. crassifolia</i> Nutt.	<i>Cedar elm</i>	FAC
<i>U. rubra</i> Muhl.	<i>Slippery elm</i>	FAC
<i>U. serotina</i> Sarg.	<i>September elm</i>	FAC
<i>Urtica dioica</i> L.	<i>Slimsting nettle</i>	FAC
<i>Utricularia biflora</i> Lam.	<i>Bladderwort</i>	OBL
<i>U. cornuta</i> Michx.	<i>Horned bladderwort</i>	OBL
<i>U. fibrosa</i> Walter	<i>Fibrous bladderwort</i>	OBL
<i>U. gibba</i> L.	<i>Humped bladderwort</i>	OBL
<i>U. inflata</i> Walter	<i>Floating bladderwort</i>	OBL
<i>U. juncea</i> Vahl	<i>Rush bladderwort</i>	OBL
<i>U. macrorhiza</i> Leconte	<i>Common bladderwort</i>	OBL
<i>U. purpurea</i> Walter	<i>Purple bladderwort</i>	OBL
<i>U. radiata</i> Small	<i>Little floating bladderwort</i>	OBL
<i>U. subulata</i> L.	<i>Ziggzag bladderwort</i>	OBL
<i>Vaccinium amoenum</i> Ait.	<i>High bush blueberry</i>	FACW-
<i>V. corymbosum</i> L.	<i>Highbush blueberry</i>	FACW
<i>V. elliottii</i> Chapm.	<i>Elliott blueberry</i>	FACW-
<i>Valeriana texana</i> Steyermark	<i>Texas valeriana</i>	?
<i>Valerianella radiata</i> (L.) Dufr.	<i>Lamb's lettuce</i>	?
<i>V. texana</i> Dyal	<i>Texas lamb's lettuce</i>	?
<i>V. woodsiana</i> T. & G.	<i>Woods cornsalad</i>	?
<i>Vallisneria americana</i> Michx.	<i>Wild celery</i>	OBL
<i>Verbena bonariensis</i> L.	<i>Tall verbena</i>	FACW+
<i>V. bracteata</i> Lag. & Rodr.	<i>Prostrate verbena</i>	FAC
<i>V. brasiliensis</i> Vell.	<i>Brazilian verbena</i>	?
<i>V. hastata</i> L.	<i>Blue verbena</i>	?
<i>V. runyonii</i> Moldenke	<i>Runyon verbena</i>	FACW-
<i>V. scabra</i> Vahl	<i>Verbena</i>	OBL
<i>V. urticifolia</i> L.	<i>White verbena</i>	FAC
<i>Verbesina alternifolia</i> (L.) Britton	<i>Golden crownbeard</i>	FAC
<i>V. encelioides</i> (Cav.) Benth. & Hook.	<i>Golden crownbeard</i>	FAC
<i>Vernonia arkansana</i> DC.	<i>Arkansas ironweed</i>	FAC
<i>V. fasciculata</i> Michx.	<i>Western ironweed</i>	FAC
<i>V. gigantea</i> (Walter) Trel.	<i>Giant ironweed</i>	FAC
<i>V. lettermannii</i> Engelm.	<i>Lettermann ironweed</i>	OBL
<i>V. marginata</i> (Torr.) Raf.	<i>Ironweed</i>	FAC
<i>V. missurica</i> Raf.	<i>Missouri ironweed</i>	FACW
<i>Veronica anagallis-acuatica</i> L.	<i>Water speedwell</i>	OBL
<i>V. catenata</i> Pennell	<i>Chain speedwell</i>	-
<i>V. peregrina</i> L.	<i>Purslane speedwell</i>	OBL DRA

<i>Veronicastrum virginicum</i> (L.) Farw.	Common culversphysic	FAC
<i>Viburnum dentatum</i> L.	Arrow-wood	FAC
<i>V. nudum</i> L.	Possumhaw viburnum	FACW+
<i>Vicia sativa</i> L.	Spring vetch	FAC
<i>Vigna luteola</i> (Jacq.) Benth.	Yellow cowpea	FACW-
<i>Viola affinis</i> Leconte	Leconte violet	FAC
<i>V. bicolor</i> Pursh	Field-pansy	FAC
<i>V. lanceolata</i> L.	Lance-leaved violet	?
<i>V. angloisii</i> Greene	Bayou violet	FACW+
<i>V. missouriensis</i> Greene	Missouri violet	FACW
<i>V. nephrophylla</i> Greene	Northern bog-violet	FACW
<i>V. papilionacea</i> Pursh	Confederate violet	FAC
<i>V. pensylvanica</i> Michx.	Smooth yellow violet	FACW-
<i>V. pratina</i> Greene	Blue prairie violet	FAC
<i>V. primulifolia</i> L.	Primrose-leaved violet	FAC
<i>V. sororia</i> Willd.	Woolly blue violet	FAC
<i>V. striata</i> Ait.	Cream violet	FACW-
<i>Vitis aestivalis</i> Michx.	Summer grape	FAC
<i>V. rotundifolia</i> Engelm.	Grape	FACW-
<i>V. palmata</i> Vahl	Grape	FACW
<i>V. riparia</i> Michx.	Riverbank grape	FAC
<i>V. vulpina</i> L.	Riverbank grape	FAC
<i>Vulpia bromoides</i> (L.) S. F. Gray	Barren sixweeksgrass	FAC
<i>V. myuros</i> (L.) C. C. Gmel.	Rattail sixweeksgrass	FAC
<i>Walzienia refracta</i> Engelm.	Jackass clover	FACW
<i>Wisteria macrostachya</i> (Torr. & Gray) Nutt. ex B. Rob & Fernald	Kentucky wisteria	FACW
<i>Wolfia columbiana</i> Karst.	Columbia watermeal	OBL
<i>W. papulifera</i> Thompson	Water-meal	OBL
<i>W. punctata</i> Griseb.	Watermeal	OBL
<i>Wolfiella floridana</i> (Smith) Thompson	Eastern wolffiella	OBL
<i>W. gladiata</i> (Hegelm.) Hegelm.	Wolffiella	OBL
<i>W. singulata</i> (Hegelm.) Hegelm.	Tongue wolffiella	OBL
<i>Woodwardia areolata</i> (L.) T. Moore	Netted chainfern	?
<i>W. virginica</i> (L.) J. E. Smith	Virginia chainfern	?
<i>Xanthocephalum gymnospermoides</i> (Gray) Benth. & Hook.	Xanthocephalum	FACW-
<i>Xyris ambigua</i> Beyr.	Yelloweyegrass	OBL
<i>X. baldwiniana</i> Schult.	Baldwin yelloweyegrass	OBL
<i>X. caroliniana</i> Walter	Carolina yelloweyegrass	FACW
<i>X. difformis</i> Chapm.	Southern yelloweyegrass	OBL
<i>X. iridifolia</i> Chapm.	Irisleaf yelloweyegrass	OBL
<i>X. jupicai</i> L. C. Rich.	Yelloweyegrass	OBL
<i>X. platylepis</i> Chapm.	Yelloweyegrass	OBL
<i>X. torta</i> J. E. Smith	Twisted yelloweyegrass	OBL
<i>Yeatesia viridiflora</i> (Nees.) Small	Yeatesia	FACW-
<i>Zannichellia palustris</i> L.	Horned pondweed	OBL
<i>Zephyranthes pulchella</i> J. G. Smith	Zephyranthes	FACW-
<i>Z. refugiensis</i> F. S. Jones	Zephyranthes	FACW-
<i>Zigadenus iensis</i> (Desr.) Fernald	Deathcamas	FACW
<i>Z. elegans</i> Pursh	Mountain deathcamas	FACW+
<i>Z. glaberrimus</i> Michx.	Atlantic deathcamas	FACW+
<i>Z. leimanthoides</i> Gray	Pinebarren deathcamas	FACW+
<i>Zizania aquatica</i> L.	Annual wildrice	OBL

<i>Z. texana</i> Hitchc.	<i>Texas wildrice</i>	OBL
<i>Zizaniopsis miliacea</i> (Michx.) Doell &	<i>Southern wildrice</i>	OBL
Aschers.		
<i>Zosterella dubia</i> (Jacq.) Small	<i>Dubius mudplantain</i>	OBL

**APPENDIX C**

**SECTION 2**

**LIST OF PLANT SPECIES THAT COMMONLY  
OCCUR IN WETLANDS**

**REGION 6 - SOUTHERN PLAINS**

Region 6 - Southern Plains

1. Following is a list of plant species that commonly occur as dominant species in wetlands of the southern plains of the United States. This region includes Texas and Oklahoma.

2. The list is a subset of the list provided in Section 1. Only species that commonly occur as dominant species in wetland types of the region are listed. All included species have an indicator status (see Section 1 for definitions of indicator status categories) of OBL, FACW, or FAC.\* These species are considered to be typically adapted for life in anaerobic soil conditions. Thus, the vegetation parameter is satisfied when more than 50 percent of the dominant species in a community type appear on this list. In such cases, it is unnecessary to use the list provided in Section 1. However, many other species listed in Section 1 as OBL, FACW, or FAC may be dominant at a given location. Therefore, use the list provided in Section 1 when more than 50 percent of the dominant species in a community type are not included in Section 2. *CAUTION: THIS LIST IS NOT INTENDED TO INCLUDE ALL OF THE SPECIES IN THE REGION THAT ARE TYPICALLY ADAPTED FOR LIFE IN ANAEROBIC SOIL CONDITIONS.*

3. In some cases, only the generic name is listed. When only one indicator status is shown for a genus, all species of the genus that are listed in Section 1 have the designated indicator status. When a range of indicator statuses is shown (e.g., OBL-FAC), the species listed in Section 1 have different indicator statuses. However, it is unnecessary to consult Section 1 when the range consists only of OBL, FACW, and/or FAC since a species having any of these indicator statuses is considered to be typically adapted for life in anaerobic soil conditions. When the indicator status range of the genus includes FAC- or FACU, identify the species and consult Section 1 to determine the indicator status for that species. Species having a "?" in the indicator status column are thought to commonly occur in wetlands of the region, but no indicator status has been assigned to these species.

4. Scientific nomenclature follows that provided in Section 1. Common names sometimes vary from those provided in Section 1 because a species may have two or more common names. The indicator status for a given species is the same on both lists.

---

\* No species having an indicator status of FAC- are included.

THIS LIST SHOULD BE USED ONLY IN ACCORDANCE WITH PROCEDURES DESCRIBED IN  
PART IV OF THE MANUAL.

Scientific Name	Common Name	Indicator Status
<i>A. rubrum</i>	Red maple	FAC
<i>Agalinis maritima</i>	Seaside gerardia	OBL
<i>Agrostis alba</i>	Redtop bentgrass	OBL
<i>A. semiverticillata</i>	Water bentgrass	OBL
<i>Aletris aurea</i>	Yellow stargrass	FACW+
<i>Alisma spp.</i>	Waterplantain	OBL
<i>Alnus serrulata</i>	Hazel alder	OBL
<i>Alopecurus carolinianus</i>	Carolina foxtail	FACW
<i>Amaranthus spp.</i>	Pigweed	OBL - FACU- DRA
<i>Ambrosia spp.</i>	Ragweed	FACW - FACU-
<i>Ampelopsis arborea</i>	Peppervine	FAC
<i>Andropogon glomeratus</i>	Bushybeard bluestem	FACW+
<i>Aralia spinosa</i>	Hercules club	FAC
<i>Arisaema triphyllum</i>	Indian jack-in-the-pulpit	FACW
<i>Armoracia aquatica</i>	Lake cress	OBL
<i>Arundinaria gigantea</i>	Giant cane	FACW
<i>Aruido donax</i>	Giant reed	FAC+
<i>Asclepias incarnata</i>	Swamp milkweed	FACW+
<i>Aster spp.</i>	Aster	OBL - FACU-
<i>Avicennia germinans</i>	Black mangrove	OBL
<i>Axonopus affinis</i>	Carpetgrass	FAC
<i>Azolla spp.</i>	Azolla	OBL
<i>Baccharis halimifolia</i>	Eastern baccharis	FACW-
<i>Bacopa spp.</i>	Bacopa	OBL
<i>Bartonia paniculata</i>	Screw-stem	OBL
<i>Batis maritima</i>	Saltwort	OBL
<i>Berchemia scandens</i>	Rattan vine	FAC+
<i>Bergia texana</i>	Texas bergia	OBL DRA
<i>Berula erecta</i>	Cut-leaved water parsnip	OBL
<i>Betula nigra</i>	River birch	?
<i>Bidens spp.</i>	Beggarticks	OBL - FACW-
<i>Boehmeria cylindrica</i>	Smallspike falsenettle	FACW
<i>Borrichia frutescens</i>	Bushy seaoxeye	?
<i>Brasenia schreberi</i>	Watershield	OBL
<i>Brunnichia cirrhosa</i>	American buckwheat vine	FACW-
<i>B. elia lycooides</i>	Buckthorn bumelia	FAC
<i>Cabomba caroliniana</i>	Fanwort	OBL
<i>Cakile geniculata</i>	Gulf searocket	?
<i>Calamovilfa arcuata</i>	Sandreed	OBL
<i>Callitricha spp.</i>	Waterstarwort	OBL - FACW-
<i>Campsis radicans</i>	Common trumpetcreeper	FAC
<i>Capsella bursa-pastoris</i>	Shepherds purse	FAC
<i>Cardamine bulbosa</i>	Bulb bittercress	OBL
<i>Cardiospermum halicacabum</i>	Balloonvine heartseed	FAC
<i>Carex spp.</i>	Sedge	OBL - FACU+
<i>Carpinus caroliniana</i>	American hornbeam	FAC
<i>Carya aquatica</i>	Water hickory	OBL

Scientific Name	Common Name	Indicator Status
<i>C. cordiformis</i>	Bitternut hickory	FAC
<i>C. illinoensis</i>	Pecan	FAC+
<i>C. myristiciformis</i>	Nutmeg hickory	FACW-
<i>Celtis laevigata</i>	Sugarberry	FAC
<i>C. occidentalis</i>	Hackberry	FAC
<i>Cephalanthus occidentalis</i>	Common buttonbush	OBL
<i>Ceratophyllum spp.</i>	Coontail	OBL
<i>Cicuta maculata</i>	Common waterhemlock	OBL
<i>Cinna arundinacea</i>	Stout woodreed	FACW
<i>Cladium jamaicense</i>	Sawgrass	OBL
<i>Clethra alnifolia</i>	Summersweet clethra	FACW
<i>Commelina communis</i>	Common dayflower	FAC
<i>Cornus amomum</i>	Silky dogwood	FACW
<i>C. drummondii</i>	Roughleaf dogwood	FAC
<i>C. foemina</i>	Gray dogwood	FACW
<i>Crataegus spp.</i>	Hawthorn	FACW - FAC-
<i>Cyperus spp.</i>	Flatsedge	OBL - FAC
<i>Cyrilla racemiflora</i>	Swamp cyrilla	FACW+
<i>Decodon verticillatus</i>	Water willow	OBL
<i>Dichromena colorata</i>	Whitetop sedge	?
<i>Diospyros virginiana</i>	Common persimmon	FAC
<i>Distichlis spicata</i>	Seashore saltgrass	FACW+
<i>Echinochloa spp.</i>	Barnyard grass	OBL - FACW- DRA
<i>Elatine spp.</i>	Waterwort	OBL - FACW
<i>Eleocharis spp.</i>	Spikerush	OBL - FAC+
<i>Elodea spp.</i>	Waterweed	OBL
<i>Elymus spp.</i>	Wildrye	FAC+ - FACU
<i>Epipactis gigantea</i>	Giant hellebore	OBL
<i>Equisetum spp.</i>	Horsetail	FACW - FAC+
<i>Erianthus giganteus</i>	Sugarcane plumegrass	FACW+
<i>E. strictus</i>	Narrow plumegrass	FACW+
<i>Eriocaulon decangulare</i>	Tangle pipewort	OBL
<i>Eryngium spp.</i>	Eryngo	FACW+ - FAC+
<i>Eupatorium spp.</i>	Fennel	FACW+ - FACU
<i>Fimbristylis spp.</i>	Frimbry	OBL - FAC
<i>Forestiera acuminata</i>	Swamp-privet	OBL
<i>Fraxinus berlandierana</i>	Berlandier ash	FAC
<i>F. caroliniana</i>	Water ash	OBL
<i>F. pennsylvanica</i>	Green ash	FACW-
<i>Fuirera spp.</i>	Fuirena	OBL
<i>Galiun obtusum</i>	Bluntleaf bedstraw	OBL
<i>G. tinctorium</i>	Dye bedstraw	OBL
<i>Gleditsia aquatica</i>	Waterlocust	OBL
<i>G. triacanthos</i>	Honeylocust	FAC
<i>Glyceria spp.</i>	Mannagrass	OBL
<i>Habenaria repens</i>	Water-spider orchid	OBL
<i>Halesia carolina</i>	Carolina silverbell	FAC
<i>Heteranthera spp.</i>	Mudplantain	OBL
<i>Hibiscus moscheutos</i>	Rose mallow	OBL
<i>Hydrocotyle spp.</i>	Pennywort	OBL - FACW

Scientific Name	Common Name	Indicator Status
<i>Hydrolea</i> spp.	Hydrolea	OBL
<i>Hymenocallis</i> spp.	Spiderlily	OBL - FACW
<i>Hypericum</i> spp.	St. Johnswort	OBL - FACU-
<i>Ilex cassine</i>	Dahoon	FACW
<i>I. decidua</i>	Possomhaw holly	FACW-
<i>Impatiens capensis</i>	Spotted touch-me-not	FACW
<i>Ipomoea</i> spp.	Morningglory	FACW - FACU
<i>Iris brevicaulis</i>	Shortstem iris	OBL
<i>I. virginica</i>	Virginia iris	OBL
<i>Isotetes</i> spp.	Quillwort	OBL
<i>Itea virginica</i>	Virginia sweetspire	OBL
<i>Iva annua</i>	Marsh elder	FAC DRA
<i>I. axillaris</i>	Povertyweed	FAC DRA
<i>I. frutescens</i>	Marsh elder	FACW
<i>Juncus</i> spp.	Rush	OBL - FACU+
<i>Juniperus silicicola</i>	Southern redcedar	FACW
<i>Justicia americana</i>	Waterwillow	OBL
<i>J. ovata</i>	Waterwillow	OBL
<i>Kosteletzkyia virginica</i>	Seashore mallow	OBL
<i>Leersia hexandra</i>	Southern cutgrass	OBL
<i>L. oryzoides</i>	Rice cutgrass	OBL
<i>Lemna</i> spp.	Duckweed	OBL
<i>Lepidium</i> spp.	Pepperweed	FAC - FAC-
<i>Leptochilus fascicularis</i>	Sprangletop	FACW
<i>L. uninervia</i>	Mexican sprangletop	FACW
<i>Limonium nashii</i>	Sea-lavender	?
<i>Lindera benzoin</i>	Spicebush	FACW-
<i>Liquidambar styraciflua</i>	Sweetgum	FAC
<i>Lobelia</i> spp.	Lobelia	OBL - FAC-
<i>Ludwigia</i> spp.	Waterprimrose	OBL
<i>Lycium carolinianum</i>	Carolina wolfberry	FACW
<i>Lycopodium</i> spp.	Clubmoss	OBL
<i>Lycopus</i> spp.	Water-horehound	OBL
<i>Magnolia virginiana</i>	Sweetbay	OBL
<i>Mecardonia acuminata</i>	Purple mecardonia	FACW+
<i>Mikania scandens</i>	Climbing hemp-weed	FACW+
<i>Mimulus</i> spp.	Monkeyflower	OBL - FACW
<i>Moranthochloe littoralis</i>	Saltflat grass	OBL
<i>Myrica cerifera</i>	Wax myrtle	FAC
<i>Mutisia</i> spp.	Waterrniffoil	OBL
<i>Nasturtium officinale</i>	Waternymph	OBL
<i>Nelumbo lutea</i>	Watercress	OBL
<i>Nierembergia luteum</i>	American lotus	OBL
<i>Nymphaea</i> spp.	European cowlily	OBL
<i>Nymphaeides peltata</i>	Waterlily	OBL
<i>Nysa aquatica</i>	Floatingheart	OBL
<i>N. sylvatica</i>	Water tupelo	OBL
<i>N. sylvatica</i> var. <i>biflora</i>	Black gum	FAC
<i>Oenothera</i> spp.	Swamp blackgum	OBL
	Primrose	FACW+ - FACU

Scientific Name	Common Name	Indicator Status
<i>Cronodium aquaticum</i>	Golden club	OBL
<i>Osmunda cinnamomea</i>	Cinnamon fern	FACW
<i>O. regalis</i>	Royal fern	OBL
<i>Oxypolis rigidior</i>	Stiff cowbane	OBL
<i>Panicum dichotomiflorum</i>	Fall panicum	FACW
<i>P. hemitomon</i>	Maidencane	OBL
<i>P. virgatum</i>	Switchgrass	FACW
<i>Parnassia grandifolia</i>	Bigleaf grass-of-parnassus	OBL
<i>Paspalum dilatatum</i>	Dallisgrass	FAC
<i>P. distichum</i>	Knotgrass	FACW+
<i>P. floridanum</i>	Water paspalum	OBL
<i>P. lividum</i>	Longtong	?
<i>P. vaginatum</i>	Seashore paspalum	?
<i>P. virgatum</i>	Talquezal	FACW
<i>Peltandra virginica</i>	Arrow-arum	OBL
<i>Penthorum sedoides</i>	Ditch stonecrop	OBL
<i>Persea borbonia</i>	Red bay	FACW
<i>Phalaris caroliniana</i>	Carolina canarygrass	FACW
<i>Phragmites australis</i>	Common reed	FACW
<i>Phyla spp.</i>	Frogfruit	FACW - FAC
<i>Pilularia americana</i>	American pillwort	OBL
<i>Planera aquatica</i>	Planertree	OBL
<i>Platanus occidentalis</i>	American sycamore	FAC+
<i>Pluchea spp.</i>	Fleabane	OBL - FACW-
<i>Podostemum ceratophyllum</i>	Riverweed	OBL
<i>Polygonum spp.</i>	Smartweed	OBL - FAC
<i>P. hydropiperoides</i>	Marsh knotweed	OBL
<i>P. punctatum</i>	Dotted smartweed	FACW
<i>P. sagittatum</i>	Arrow-leaved tearthumb	OBL
<i>Polytopogon monspeliensis</i>	Rabbitfoot grass	FACW+ DRA
<i>Pontederia cordata</i>	Pickerelweed	OBL
<i>Populus deltoides</i>	Eastern cottonwood	FAC
<i>Potamogeton spp.</i>	Pondweed	OBL
<i>Prosopis pubescens</i>	Screwbean mesquite	FAC+
<i>Ptelea trifoliata</i>	Common hoptree	FAC
<i>Quercus laurifolia</i>	Laurel oak	FACW
<i>Q. lyrata</i>	Overcup oak	OBL
<i>Q. michauxii</i>	Swamp chestnut oak	FACW
<i>Q. nigra</i>	Water oak	FAC+
<i>Q. nuttallii</i>	Nuttalls oak	FACW
<i>Q. phellos</i>	Willow oak	FACW
<i>Q. shumardii</i>	Shumard oak	FAC
<i>Q. similis</i>	Bottomland post oak	FACW
<i> Ranunculus spp.</i>	Buttercup	OBL - FACU+
<i>Rhexia spp.</i>	Meadowbeauty	OBL - FACW+
<i> Rhododendron ciliolatum</i>	Texas azalea	FACW+
<i>Rhynchospora spp.</i>	Beak rush	OBL - FAC
<i>Rorippa spp.</i>	Cress	OBL - FACW-
<i>Rumex spp.</i>	Dock	FACW+ - FAC-
<i>R. verticillatus</i>	Swamp dock	FACW+

Scientific Name	Common Name	Indicator Status
<i>Sabal minor</i>	Dwarf palmetto	FACW
<i>Sabatia</i> spp.	Rose-gentian	OBL - FACU
<i>Sagittaria</i> spp.	Arrowhead	OBL
<i>Salicornia bigelovii</i>	Bigelow glasswort	?
<i>S. virginica</i>	Virginia saltwort	?
<i>Salix</i> spp.	Willow	OBL - FACU
<i>Sambucus canadensis</i>	Common elderberry	FAC+
<i>Sanolus ebracteatus</i>	Waterpimpernel	?
<i>Saururus cernuus</i>	Lizards tail	OBL
<i>Scirpus</i> spp.	Bulrush	OBL
<i>Sebastiania fruticosa</i>	Sebastian bush	FAC
<i>Sesbania drummondii</i>	Rattlebox	FACW
<i>Sesuvium portulacastrum</i>	Sea purslane	FACW
<i>Setaria</i> spp.	Bristlegrass	FACW - FACU
<i>Smilax</i> spp.	Greenbrier	OBL - FACU
<i>S. bona-nox</i>	Saw greenbrier	FAC
<i>S. laurifolia</i>	Bambo-vine	OBL
<i>Solidago gigantea</i>	Late goldenrod	FAC
<i>S. sempervirens</i>	Seaside goldenrod	FACW-
<i>Sparganium</i> spp.	Burreed	OBL
<i>Spartina alterniflora</i>	Smooth cordgrass	OBL
<i>S. cynosuroides</i>	Big cordgrass	OBL
<i>S. patens</i>	Marshhay cordgrass	FACW
<i>S. pectinata</i>	Prairie cordgrass	FACW+
<i>Spirodela polyrhiza</i>	Greater duckweed	OBL
<i>Sporobolus virginicus</i>	Seashore dropseed	FACW+
<i>Suaeda linearis</i>	Annual seepweed	OBL
<i>Tamarix</i> spp.	Tamarisk	FACW - FACW-
<i>Taxodium distichum</i>	Common baldcypress	OBL
<i>T. mucronatum</i>	Montezuma baldcypress	OBL
<i>Toxicodendron radicans</i>	Poison ivy	FAC
<i>T. vernix</i>	Poison-sumac	?
<i>Triadenum</i> spp.	St. Johns-wort	OBL
<i>Typha</i> spp.	Cattail	OBL
<i>Ulmus americana</i>	American elm	FAC
<i>U. crassifolia</i>	Cedar elm	FAC
<i>Utricularia</i> spp.	Bladderwort	OBL
<i>Vaccinium</i> spp.	Blueberry	FACW - FACU
<i>Verbena</i> spp.	Verbena	OBL - FAC-
<i>Viburnum dentatum</i>	Arrow-wood	FAC
<i>V. nudum</i>	Possumhaw viburnum	FACW+
<i>Viola lanceolata</i>	Lance-leaved violet	?
<i>V. missouriensis</i>	Missouri violet	FACW
<i>Wolffia</i> spp.	Watermeal	OBL
<i>Wolffiella</i> spp.	Wolfiella	OBL
<i>Woodwardia areolata</i>	Netted chainfern	?
<i>W. virginica</i>	Virginia chainfern	?
<i>Xanthium strumarium</i>	Cocklebur	FAC- DRA
<i>Xyris</i> spp.	Yelloweyed grass	OBL - FACW

Scientific Name	Common Name	Indicator Status
<i>Zannichellia palustris</i>	Horned pondweed	OBL
<i>Zizania aquatica</i>	Annual wildrice	OBL
<i>Z. texana</i>	Texas wildrice	OBL
<i>Zizaniopsis miliacea</i>	Southern wildrice	OBL
<i>Zosterella dubia</i>	Mud-plantain	OBL

END

4 - 87

DTIC